

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 5, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 5, 1901, was 19·2 per thousand of estimated population. This rate is 6·4 below that for the corresponding week of last year, and 1·4 below that for the previous week.

The lowest mortality was recorded in Paisley, viz., 14·4 per thousand; and the highest in Greenock, viz., 22·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 105, being 14 below the number for the previous week.

The Mean Temperature was 39°·8, being 3°·4 below that for the week immediately preceding, but 2°·3 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 5, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Jan. 5, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	862	602	1193	48·8	28·0	39·8	0·49
GLASGOW, . . .	12,681	753,766	59·441	9·70	395	271	590	47·8	31·3	41·1	0·66
EDINBURGH, . .	10,598	309,472	29·201	13·83	125	128	151	45·8	32·5	40·4	0·28
DUNDEE, . . .	4,162	169,110	40·632	11·73	82	70	145	44·2	30·4	38·4	0·35
ABERDEEN, . .	6,795	147,313	21·680	16·06	97	50	112	42·4	29·0	37·5	0·56
LEITH,	2,042	79,650	39·006	11·97	45	24	61	46·0	30·7	41·0	0·37
PAISLEY, . . .	3,538	79,658	22·515	15·76	43	22	76	48·8	32·5	41·5	0·44
GREENOCK, . .	1,440	60,267	41·852	11·56	57	26	38	47·0	32·0	41·3	0·69
PERTH,	2,122	30,919	14·571	19·58	18	11	20	44·5	28·0	37·4	0·56
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	881	792	1159	46·2	27·0	37·5	1·60

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 12, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 12, 1901, was 21·9 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, but 2·7 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·3 per thousand; and the highest in Perth, viz., 30·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 121, being 16 above the number for the previous week.

The Mean Temperature was 35°·8, being 4°·0 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 12, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Jan. 12, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	1006	685	265	45·3	25·5	35·8	0·29
GLASGOW, . . .	12,681	753,766	59·441	9·70	503	328	124	45·3	28·0	35·9	0·19
EDINBURGH, . .	10,598	309,472	29·201	13·83	150	129	33	41·0	29·4	34·8	0·12
DUNDEE, . . .	4,162	169,110	40·632	11·73	117	71	61	43·8	27·4	36·1	0·35
ABERDEEN, . .	6,795	147,313	21·680	16·06	92	61	19	42·6	26·0	36·5	0·32
LEITH,	2,042	79,650	39·006	11·97	43	32	7	42·7	30·7	36·6	0·23
PAISLEY, . . .	3,538	79,658	22·515	15·76	52	25	9
GREENOCK, . .	1,440	60,267	41·852	11·56	36	21	5	43·7	28·7	35·5	0·35
PERTH,	2,122	30,919	14·571	19·58	13	18	7	44·5	25·5	35·0	0·47
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1022	711	278	49·0	28·0	38·9	0·63

Week ending Saturday, JANUARY 12, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Cause.
In Eight Towns,	21·9	3·2	685	151	140	2	12	6	8	49	2	22	2	121	26	149	25	2
GLASGOW, .	22·6	4·0	328	71	48	2	1	3	2	36	2	12	0	56	17	61	17	2
EDINBURGH,	21·7	2·4	129	24	33	0	5	0	4	4	0	1	0	17	2	36	3	0
DUNDEE, .	21·8	3·4	71	17	16	0	0	1	0	6	0	4	0	19	2	16	1	0
ABERDEEN, .	21·5	4·2	61	18	13	0	5	1	2	0	0	4	1	9	1	14	1	0
LEITH, . . .	20·9	0·0	32	9	13	0	0	0	0	0	0	0	1	5	2	6	1	0
PAISLEY, . .	16·3	2·6	25	6	5	0	1	1	0	1	0	1	0	6	0	6	1	0
GREENOCK, .	18·1	1·7	21	3	4	0	0	0	0	2	0	0	0	5	0	3	0	0
PERTH, . . .	30·3	0·0	18	3	8	0	0	0	0	0	0	0	0	4	2	7	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 13, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·0	2·1	711	143	190	0	20	4	5	14	6	16	5	198	24	145	36	7
GLASGOW, .	23·3	2·6	334	71	73	0	12	3	3	8	4	7	1	93	13	73	14	5
EDINBURGH,	21·5	0·7	125	23	40	0	0	0	0	1	1	2	2	36	4	29	12	0
DUNDEE, . .	20·5	2·5	66	13	20	0	4	0	1	1	0	2	2	16	2	6	0	1
ABERDEEN, .	21·5	1·8	60	9	19	0	0	0	0	1	1	3	0	18	2	13	3	1
LEITH, . . .	24·5	0·0	37	11	8	0	0	0	0	0	0	0	0	12	1	10	0	0
PAISLEY, . .	34·6	5·3	52	12	14	0	2	1	1	2	0	2	0	15	1	9	2	0
GREENOCK, .	20·6	1·7	24	3	9	0	2	0	0	0	0	0	0	5	1	3	4	0
PERTH, . . .	21·9	1·7	13	1	7	0	0	0	0	1	0	0	0	3	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 19, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 19, 1901, was 2·40 per thousand of estimated population. This rate is 0·7 above that for the corresponding week of last year, and 2·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·0 per thousand; and the highest in Aberdeen, viz., 29·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 135, being 14 above the number for the previous week.

The Mean Temperature was 39°·2, being 3°·4 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 19, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Jan. 19, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	932	752	153	49·3	22·0	39·2	0·50
GLASGOW, . . .	12,681	753,766	59·441	9·70	468	376	81	49·3	31·5	39·7	0·44
EDINBURGH, . .	10,598	309,472	29·201	13·83	141	135	29	48·7	31·9	39·3	0·46
DUNDEE, . . .	4,162	169,110	40·632	11·73	102	76	11	45·9	26·7	37·8	0·37
ABERDEEN, . .	6,795	147,313	21·680	16·06	80	83	16	46·8	29·0	40·9	0·44
LEITH,	2,042	79,650	39·006	11·97	46	23	5	48·4	31·0	40·6	0·49
PAISLEY, . . .	3,538	79,658	22·515	15·76	45	24	1
GREENOCK, . .	1,440	60,267	41·852	11·56	37	18	3	47·5	31·8	40·6	0·88
PERTH,	2,122	30,919	14·571	19·58	13	17	7	47·5	22·0	35·3	0·41
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	1006	721	158	50·2	27·0	39·5	0·97

Week ending Saturday, JANUARY 19, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 19, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	24.0	4.0	752	154	171	3	23	2	6	61	14	16	4	135	25	149	30
GLASGOW, .	25.9	4.7	376	69	71	3	2	1	1	44	10	7	3	67	14	84	16
EDINBURGH,	22.7	3.0	135	30	30	0	8	0	3	5	2	0	1	20	4	27	9
DUNDEE, .	23.4	4.9	76	17	22	0	1	0	1	10	0	4	0	10	2	18	2
ABERDEEN, .	29.3	5.3	83	21	24	0	9	0	1	1	2	2	0	18	1	11	0
LEITH, . . .	15.0	2.6	23	5	4	0	3	0	0	0	0	1	0	5	2	3	0
PAISLEY, . .	15.7	2.0	24	3	9	0	0	1	0	1	0	1	0	5	0	3	1
GREENOCK, .	15.5	0.9	18	3	5	0	0	0	0	0	0	1	0	6	1	0	1
PERTH, . . .	28.6	0.0	17	6	6	0	0	0	0	0	0	0	0	4	1	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 20, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	23.3	2.2	721	135	214	1	32	8	7	8	6	7	3	195	27	156	27
GLASGOW, .	23.8	2.5	340	69	84	0	19	4	3	4	3	3	0	95	12	80	13
EDINBURGH,	23.2	1.5	135	20	49	*1	0	3	2	1	1	1	0	35	4	31	5
DUNDEE, . .	21.7	3.4	70	13	16	0	8	0	1	0	0	2	0	20	3	9	2
ABERDEEN, .	23.0	0.7	64	13	25	0	0	0	1	1	0	0	0	19	3	11	2
LEITH, . . .	23.8	0.0	36	6	13	0	0	0	0	0	0	0	0	5	4	10	4
PAISLEY, . .	19.3	4.0	29	6	11	0	4	1	0	0	1	0	1	9	0	8	0
GREENOCK, .	26.6	1.7	31	6	12	0	0	0	0	0	1	1	2	8	0	3	1
PERTH, . . .	27.0	5.1	16	2	4	0	1	0	0	2	0	0	0	4	1	4	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 26, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 26, 1901, was 21·1 per thousand of estimated population. This rate is 2·3 below that for the corresponding week of last year, and 2·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·7 per thousand; and the highest in Glasgow, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 143, being 8 above the number for the previous week.

The Mean Temperature was 40°·5, being 1°·3 above that for the week immediately preceding, but 2°·3 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 26, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Jan. 26, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	906	663	136	54·2	28·8	40·5	0·93
GLASGOW, . . .	12,681	753,766	59·441	9·70	441	353	64	51·5	32·5	41·8	0·95
EDINBURGH, . .	10,598	309,472	29·201	13·83	151	123	35	50·4	29·4	40·7	0·72
DUNDEE, . . .	4,162	169,110	40·632	11·73	84	64	6	50·0	28·9	39·3	0·28
ABERDEEN, . . .	6,795	147,313	21·680	16·06	105	42	12	54·2	28·8	39·0	0·16
LEITH,	2,042	79,650	39·006	11·97	47	24	7	51·6	32·0	41·7	0·59
PAISLEY, . . .	3,538	79,658	22·515	15·76	31	33	3	51·0	32·0	41·8	1·61
GREENOCK, . .	1,440	60,267	41·852	11·56	38	20	6	50·0	30·2	40·9	2·75
PERTH,	2,122	30,919	14·571	19·58	9	4	3	51·0	29·0	39·1	0·40
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	941	723	154	56·0	27·0	42·8	0·90

Week ending Saturday, JANUARY 26, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 26, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Cause.
In Eight Towns,	21.1	3.4	663	121	164	12	18	0	8	39	15	15	2	143	30	167	19	0
GLASGOW, .	24.4	4.4	353	67	81	* 11	0	0	2	28	11	12	0	73	14	90	4	0
EDINBURGH,	20.7	2.5	123	20	35	0	8	0	3	3	1	0	1	25	7	38	9	0
DUNDEE, .	19.7	2.5	64	11	17	0	2	0	1	4	0	1	0	16	2	14	0	0
ABERDEEN, .	14.8	3.9	42	11	12	0	7	0	0	0	3	1	1	9	3	10	1	0
LEITH, . . .	15.7	3.3	24	4	5	0	1	0	1	2	0	1	0	4	0	6	0	0
PAISLEY, . .	21.5	1.3	33	5	8	0	0	0	1	1	0	0	0	10	3	5	5	0
GREENOCK, .	17.3	1.7	20	3	5	1	0	0	0	1	0	0	0	6	1	2	0	0
PERTH, . . .	6.7	0.0	4	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0

* One case of Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 27, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Cause.
In Eight Towns,	23.4	2.6	723	138	205	0	32	8	7	8	3	23	4	168	30	151	20	0
GLASGOW, .	24.4	3.4	349	64	77	0	19	6	3	5	3	13	2	66	18	88	5	0
EDINBURGH,	21.2	0.9	123	19	45	0	0	1	0	2	0	2	1	29	5	24	13	0
DUNDEE, . .	26.7	4.3	86	28	25	0	8	1	2	0	0	3	0	31	2	12	0	0
ABERDEEN, .	27.6	1.4	77	10	36	0	0	0	1	0	0	3	1	20	1	10	1	0
LEITH, . . .	15.2	1.3	23	5	6	0	0	0	0	0	0	2	0	8	0	6	0	0
PAISLEY, . .	15.9	0.7	24	5	6	0	1	0	0	0	0	0	0	6	0	3	1	0
GREENOCK, .	22.3	1.7	26	4	5	0	2	0	0	0	0	0	0	6	3	5	0	0
PERTH, . . .	25.3	6.7	15	3	5	0	2	0	1	1	0	0	0	2	1	3	0	0

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 2, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 2, 1901, was 22·2 per thousand of estimated population. This rate is 1·5 below that for the corresponding week of last year, but 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 17·6 per thousand; and the highest in Aberdeen, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 20 below the number for the previous week.

The Mean Temperature was 34°·7, being 5°·8 below that for the week immediately preceding, but 0°·5 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 2, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Feb. 2, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	849	695	177	46·9	20·0	34·7	0·71
GLASGOW, . . .	12,681	753,766	59·441	9·70	446	340	90	44·9	28·0	37·0	0·66
EDINBURGH, . .	10,598	309,472	29·201	13·83	130	124	35	45·6	24·2	33·6	0·67
DUNDEE, . . .	4,162	169,110	40·632	11·73	78	68	15	43·7	24·6	33·6	0·71
ABERDEEN, . . .	6,795	147,313	21·680	16·06	73	67	21	44·0	26·5	34·4	1·15
LEITH,	2,042	79,650	39·006	11·97	34	27	9	46·9	27·1	35·4	0·81
PAISLEY, . . .	3,538	79,658	22·515	15·76	35	31	3	43·7	26·1	36·0	0·44
GREENOCK, . .	1,440	60,267	41·852	11·56	39	26	3
PERTH,	2,122	30,919	14·571	19·58	14	12	1	44·0	20·0	32·9	0·52
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1002	733	198	42·2	20·5	34·2	0·29

Week ending Saturday, **FEBRUARY 2, 1901.**

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Cause.
In Eight Towns,	22.2	4.0	695	120	178	24	16	3	7	43	6	27	0	123	30	173	35	0
GLASGOW, .	23.5	6.3	340	56	75	24	2	3	3	34	5	21	0	62	15	92	17	0
EDINBURGH,	20.8	2.7	124	25	29	0	8	0	1	3	1	3	0	24	6	35	13	0
DUNDEE, .	20.9	1.5	68	10	20	0	2	0	0	2	0	1	0	11	3	19	0	0
ABERDEEN, .	23.6	2.5	67	18	19	0	4	0	1	1	0	1	0	14	4	8	2	0
LEITH, . . .	17.6	1.3	27	5	5	0	0	0	1	1	0	0	0	2	0	5	0	0
PAISLEY, . .	20.2	1.3	31	2	11	0	0	0	0	2	0	0	0	6	0	6	1	0
GREENOCK, .	22.4	1.7	26	2	15	0	0	0	1	0	0	1	0	3	2	7	2	0
PERTH, . . .	20.2	0.0	12	2	4	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 3, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.7	2.1	733	128	194	0	25	11	9	8	5	8	4	208	20	132	49	6
GLASGOW, .	20.9	3.2	299	53	48	0	21	9	3	3	5	5	4	70	8	75	17	5
EDINBURGH,	27.2	1.0	158	30	60	0	1	1	1	2	0	1	0	46	5	22	22	0
DUNDEE, . . .	30.7	1.2	99	20	29	0	2	0	1	0	0	1	0	39	2	13	1	0
ABERDEEN, .	24.0	1.4	67	9	26	0	0	0	2	1	0	1	0	20	1	6	4	0
LEITH, . . .	20.5	0.0	31	5	10	0	0	0	0	0	0	0	0	13	1	2	1	0
PAISLEY, . .	16.6	0.7	25	5	8	0	1	0	0	0	0	0	0	5	1	5	3	0
GREENOCK, .	25.8	1.7	30	2	7	0	0	1	1	0	0	0	0	5	2	6	1	1
PERTH, . . .	40.5	5.1	24	4	6	0	0	0	1	2	0	0	0	10	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 9, 1901.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 9, 1901, was 23·2 per thousand of estimated population. This rate is 3·9 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·4 per thousand; and the highest in Paisley, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·7 below that for last week. Those causing the largest number of Deaths were Hooping Cough, 37; Diarrhœa, 18; and Measles, 14. Small-pox caused 11 Deaths, of which 10 occurred in Glasgow (there were 24 during the previous week) and 1 in Paisley. The number of Deaths registered from these Diseases in each Town is shown in Table II.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 155, being 32 above the number for the previous week.

The Mean Temperature was 36°·1, being 1°·4 above that for the week immediately preceding, and 7°·7 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 9, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901	Prox- imity in Yards.	Registered during the Week ending Feb. 9, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	947	726	180	51·1	23·0	36·1	0·13
GLASGOW, . . .	12,681	753,766	59·441	9·70	463	370	96	48·0	26·5	36·3	0·11
EDINBURGH, . .	10,598	309,472	29·201	13·83	150	123	31	44·5	28·6	35·5	0·04
DUNDEE, . . .	4,162	169,110	40·632	11·73	78	66	10	43·9	26·5	34·1	0·04
ABERDEEN, . .	6,795	147,313	21·680	16·06	98	59	22	44·2	30·0	35·7	0·31
LEITH,	2,042	79,650	39·006	11·97	44	22	6	45·7	32·0	37·2	0·04
PAISLEY, . . .	3,538	79,658	22·515	15·76	62	42	9	51·1	26·8	39·5	0·32
GREENOCK, . .	1,440	60,267	41·852	11·56	36	29	4	45·2	28·8	37·1	0·18
PERTH,	2,122	30,919	14·571	19·58	16	15	2	46·5	23·0	33·7	0·00
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	953	836	161	42·0	10·0	28·4	0·25

Week ending Saturday, FEBRUARY 9, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from										Deaths in Public Institutions.		Deaths from Uncertified Causes.	
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	23·2	3·3	726	160	176	11	14	6	7	37	10	18	3	155	19	152	37	1	
GLASGOW, .	25·5	4·2	370	73	89	10	1	4	2	27	9	8	1	91	11	86	18	1	
EDINBURGH,	20·7	2·5	123	26	29	0	6	1	2	5	0	1	1	22	1	23	10	0	
DUNDEE, .	20·3	2·8	66	17	16	0	1	1	2	2	0	3	0	11	2	14	2	0	
ABERDEEN, .	20·8	3·2	59	17	11	0	6	0	1	0	0	2	0	11	3	9	1	0	
LEITH, . . .	14·4	1·3	22	4	6	0	0	0	0	0	0	2	1	3	0	6	1	0	
PAISLEY, . .	27·4	2·0	42	15	11	1	0	0	0	1	1	0	0	7	0	5	3	0	
GREENOCK, .	25·0	2·6	29	7	9	0	0	0	0	2	0	1	0	8	1	5	1	0	
PERTH, . . .	25·2	1·7	15	1	5	0	0	0	0	0	0	1	0	2	1	4	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 10, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from										Deaths in Public Institutions.		Deaths from Uncertified Causes.	
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	27·1	2·0	836	149	258	0	19	3	0	14	7	18	3	239	28	149	27	3	
GLASGOW, .	26·8	2·4	384	61	96	0	15	3	0	6	4	6	2	119	12	79	17	3	
EDINBURGH,	27·5	0·9	160	30	58	0	0	0	0	1	2	2	1	35	7	31	4	0	
DUNDEE, . .	31·3	2·5	101	18	42	0	1	0	0	1	0	6	0	36	4	10	2	0	
ABERDEEN, .	22·6	1·8	63	15	18	0	0	0	0	2	1	2	0	16	1	13	2	0	
LEITH, . . .	15·9	0·0	24	4	9	0	0	0	0	0	0	0	0	7	0	2	0	0	
PAISLEY, . .	24·6	3·3	37	10	9	0	3	0	0	0	0	2	0	8	1	7	1	0	
GREENOCK, .	28·3	0·0	33	6	11	0	0	0	0	0	0	0	0	6	2	1	0	0	
PERTH, . . .	57·3	6·7	34	5	15	0	0	0	0	4	0	0	0	12	1	6	1	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 16, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, February 16, 1901, was 710, being at the rate of 22·6 per thousand of estimated population. This rate is 8·4 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 18·0 per thousand; and the highest in Perth, viz., 26·9 per thousand.

From the seven most familiar Zymotic Diseases 106 Deaths were recorded, being at the rate of 3·4 per thousand, or 0·1 above that for last week. Of these, 33 resulted from Hooping Cough, of which 25 occurred in Glasgow and 6 in Dundee; 25 from Measles, of which 15 were in Edinburgh and 7 in Aberdeen; and 20 from Small-pox, all of which occurred in Glasgow. During the two previous weeks, the deaths from Small-pox numbered respectively 24 and 11.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 150, being 5 below the number for the previous week.

The Mean Temperature was 34°·2, being 1°·9 below that for the week immediately preceding, but 2°·3 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 16, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Feb. 16, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	945	710	154	49·2	17·0	34·2	0·09
GLASGOW, . . .	12,681	753,766	59·441	9·70	476	365	70	48·0	22·9	34·7	0·03
EDINBURGH, . .	10,598	309,472	29·201	13·83	151	118	26	44·0	25·5	34·1	0·04
DUNDEE, . . .	4,162	169,110	40·632	11·73	89	64	13	45·3	21·0	33·4	0·01
ABERDEEN, . .	6,795	147,313	21·680	16·06	86	51	20	41·0	17·0	32·6	0·51
LEITH,	2,042	79,650	39·006	11·97	47	35	12	44·1	27·0	35·7	0·03
PAISLEY, . . .	3,538	79,658	22·515	15·76	41	32	5	49·2	24·2	36·4	0·06
GREENOCK, . .	1,440	60,267	41·852	11·56	39	29	7	46·0	25·5	34·3	0·03
PERTH,	2,122	30,919	14·571	19·58	16	16	1	46·0	17·0	32·3	0·00
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	959	958	163	47·0	6·0	31·9	1·00

Week ending Saturday, FEBRUARY 16, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22·6	3·4	710	126	193	20	25	6	10	33	4	8	3	150	32	161	29
GLASGOW, .	25·2	4·5	365	67	86	20	1	4	6	25	3	6	1	83	14	96	18
EDINBURGH,	19·8	2·7	118	15	34	0	15	0	0	0	0	1	1	16	7	28	6
DUNDEE, .	19·7	3·1	64	14	19	0	1	1	1	6	1	0	0	16	2	5	2
ABERDEEN, .	18·0	2·5	51	9	18	0	7	0	0	0	0	0	0	10	2	8	2
LEITH, . . .	22·8	1·3	35	9	10	0	1	0	0	0	0	1	0	8	3	9	0
PAISLEY, . .	20·9	2·6	32	4	11	0	0	1	1	2	0	0	0	6	2	8	1
GREENOCK, .	25·0	0·9	29	5	10	0	0	0	1	0	0	0	0	7	1	3	0
PERTH, . . .	26·9	1·7	16	3	5	0	0	0	1	0	0	0	1	4	1	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 17, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	31·0	2·7	958	173	292	0	24	11	7	18	2	20	3	322	25	188	47
GLASGOW, .	33·6	3·4	480	89	114	0	17	11	3	10	1	7	2	169	14	90	23
EDINBURGH,	26·1	1·0	152	18	60	0	0	0	3	1	0	2	1	39	7	38	17
DUNDEE, . .	35·4	3·4	114	24	37	0	1	0	1	0	0	9	0	46	1	26	0
ABERDEEN, .	23·3	1·8	65	10	31	0	0	0	0	4	0	1	0	23	0	10	4
LEITH, . . .	29·1	2·0	44	14	11	0	0	0	0	1	1	1	0	17	2	6	0
PAISLEY, . .	35·2	5·3	53	13	16	0	6	0	0	2	0	0	0	12	0	11	2
GREENOCK, .	17·2	0·0	20	0	10	0	0	0	0	0	0	0	0	4	1	1	1
PERTH, . . .	50·6	0·0	30	5	13	0	0	0	0	0	0	0	0	12	0	6	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 23, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, February 23, 1901, was 742, being at the rate of 23·7 per thousand of estimated population. This rate is 8·0 below that for the corresponding week of last year, but 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·0 per thousand; and the highest in Glasgow, viz., 27·0 per thousand.

From the seven most familiar Zymotic Diseases 99 Deaths were recorded, being at the rate of 3·2 per thousand, or 0·2 below that for last week. Of these, 36 resulted from Hooping-Cough, of which 25 occurred in Glasgow and 5 in Dundee; 19 from Measles, of which 10 occurred in Edinburgh; and 15 from Small-pox, of which 13 occurred in Glasgow, 1 in Aberdeen, and 1 in Paisley. During the three previous weeks, the deaths from Small-pox numbered respectively 24, 11, and 20.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 176, being 26 above the number for the previous week.

The Mean Temperature was 38°·1, being 3°·9 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 23, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Feb. 23, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	978	742	227	48·3	23·5	38·1	0·10
GLASGOW, . . .	12,681	753,766	59·441	9·70	484	391	118	47·3	25·9	38·8	0·04
EDINBURGH, . .	10,598	309,472	29·201	13·83	152	137	48	46·2	29·8	37·6	0·04
DUNDEE, . . .	4,162	169,110	40·632	11·73	86	67	15	42·5	27·7	36·2	0·08
ABERDEEN, . .	6,795	147,313	21·680	16·06	83	59	11	45·8	29·6	37·7	0·31
LEITH,	2,042	79,650	39·006	11·97	49	23	7	46·5	33·9	39·3	0·05
PAISLEY, . . .	3,538	79,658	22·515	15·76	64	30	11	48·3	28·2	39·6	0·03
GREENOCK, . .	1,440	60,267	41·852	11·56	47	24	10	46·0	31·0	39·3	0·10
PERTH,	2,122	30,919	14·571	19·58	13	11	7	47·0	23·5	36·2	0·12
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1007	981	201	54·2	15·6	37·7	1·27

Week ending Saturday, FEBRUARY 23, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23·7	3·2	742	135	177	15	19	3	4	36	6	16	1	176	25	173	38
GLASGOW, .	27·0	3·7	391	70	71	13	4	2	2	25	2	5	0	94	16	88	21
EDINBURGH,	23·0	3·2	137	19	41	0	10	1	1	3	2	2	0	29	5	39	10
DUNDEE, .	20·6	3·4	67	14	17	0	2	0	0	5	2	2	0	13	0	19	1
ABERDEEN, .	20·8	2·5	59	15	18	1	2	0	1	1	0	2	1	16	1	17	1
LEITH, . . .	15·0	2·0	23	3	8	0	1	0	0	1	0	1	0	8	0	2	1
PAISLEY, . .	19·6	2·0	30	6	12	1	0	0	0	1	0	1	0	8	0	5	1
GREENOCK, .	20·7	1·7	24	6	6	0	0	0	0	0	0	2	0	5	1	1	2
PERTH, . . .	18·5	1·7	11	2	4	0	0	0	0	0	0	1	0	3	2	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	31·7	2·3	981	185	298	1	17	9	5	17	2	19	3	359	25	193	42
GLASGOW, .	35·1	2·7	502	97	127	0	9	5	5	9	2	8	3	195	14	94	21
EDINBURGH,	25·8	1·2	150	29	52	*1	0	2	0	1	0	3	0	54	1	25	11
DUNDEE, . .	39·1	2·2	126	20	47	0	5	0	0	0	0	2	0	51	2	30	4
ABERDEEN, .	24·7	2·5	69	15	29	0	0	0	0	3	0	4	0	19	3	18	1
LEITH, . . .	15·2	0·7	23	7	4	0	0	0	0	1	0	0	0	5	2	4	2
PAISLEY, . .	27·2	4·0	41	4	12	0	3	2	0	0	0	1	0	10	1	13	0
GREENOCK, .	28·3	0·9	33	7	9	0	0	0	0	0	0	1	0	6	1	4	0
PERTH, . . .	62·4	5·1	37	6	18	0	0	0	0	3	0	0	0	19	1	5	3

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 2, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, March 2, 1901, was 768, being at the rate of 24·5 per thousand of estimated population. This rate is 4·5 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·4 per thousand; and the highest in Dundee, viz., 28·3 per thousand.

From the seven most familiar Zymotic Diseases 123 Deaths were registered, being at the rate of 3·9 per thousand, or 0·7 above that for last week. Hooping-Cough again causes the largest number of these—67, of which 43 occurred in Glasgow, 11 in Dundee, and 8 in Edinburgh; Measles caused 13 deaths. Thirteen deaths were tabulated as Small-pox, 1 of which, however, was due to Chicken-pox, and all of these occurred in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 180, being 4 above the number for the previous week.

The Mean Temperature was 40°·0, being 1°·9 above that for the week immediately preceding, and 1°·0 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 2, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Mar. 2, 1901.			Temperature.			Rainfall in In. Ches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	952	768	231	52·9	24·0	40·0	1·37
GLASGOW, . . .	12,681	753,766	59·441	9·70	467	391	124	52·9	35·0	43·1	1·13
EDINBURGH, . .	10,598	309,472	29·201	13·83	152	133	43	46·7	33·0	40·1	0·94
DUNDEE, . . .	4,162	169,110	40·632	11·73	98	92	19	44·0	28·3	37·5	1·52
ABERDEEN, . .	6,795	147,313	21·680	16·06	90	50	24	46·8	29·0	37·8	1·48
LEITH,	2,042	79,650	39·006	11·97	41	32	8	48·6	33·9	41·5	1·16
PAISLEY, . . .	3,538	79,658	22·515	15·76	44	35	8	49·0	31·1	41·4	1·27
GREENOCK, . .	1,440	60,267	41·852	11·56	43	27	4	47·8	33·0	40·2	2·04
PERTH,	2,122	30,919	14·571	19·58	17	8	1	48·0	24·0	38·3	1·45
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	999	897	296	52·0	27·0	39·0	0·56

Week ending Saturday, MARCH 2, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	24.5	3.9	768	148	195	13	13	4	2	67	1	23	4	180	13	159
GLASGOW, .	27.0	4.6	391	71	90	13*	2	1	0	43	0	7	2	104	6	88
EDINBURGH,	22.3	3.7	133	28	34	0	5	1	1	8	0	7	0	25	3	34
DUNDEE, .	28.3	4.6	92	22	21	0	0	0	0	11	0	4	0	20	1	15
ABERDEEN, .	17.6	4.6	50	15	11	0	5	1	0	3	1	3	1	6	1	7
LEITH, . . .	20.9	0.7	32	3	15	0	1	0	0	0	0	0	0	7	0	8
PAISLEY, . .	22.8	1.3	35	4	14	0	0	0	1	1	0	0	0	11	1	1
GREENOCK, .	23.3	2.6	27	5	8	0	0	1	0	1	0	1	1	7	1	3
PERTH, . . .	13.4	1.7	8	0	2	0	0	0	0	0	0	1	0	0	0	3

* One from Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 3, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	29.0	2.4	897	147	295	0	20	10	5	15	6	18	4	320	25	200
GLASGOW, .	34.2	2.9	490	84	145	0	10	9	4	6	4	8	2	193	16	106
EDINBURGH,	22.7	1.2	132	20	50	0	1	0	0	2	1	3	1	48	4	31
DUNDEE, . .	29.5	2.2	95	17	36	0	4	0	0	0	0	3	1	34	3	21
ABERDEEN, .	21.2	1.4	59	7	25	0	0	0	0	3	0	1	0	13	1	21
LEITH, . . .	16.6	0.7	25	8	5	0	0	0	0	1	0	0	0	6	0	10
PAISLEY, . .	29.9	5.3	45	5	17	0	4	1	0	2	0	1	0	10	0	5
GREENOCK, .	28.3	4.3	33	5	9	0	1	0	1	0	1	2	0	8	1	3
PERTH, . . .	30.4	1.7	18	1	8	0	0	0	0	1	0	0	0	8	0	3

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 9, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, March 9, 1901, was 733, being at the rate of 23·4 per thousand of the estimated population. This rate is 4·3 below that for the corresponding week of last year, and 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·1 per thousand; and the highest in Paisley, viz., 25·5 per thousand.

From the seven most familiar Zymotic Diseases 114 Deaths were registered, being at the rate of 3·6 per thousand, or 0·3 below that for last week. Hooping-Cough caused 51 deaths, being the most fatal of these diseases, and of which 30 occurred in Glasgow, 10 in Edinburgh, and 6 in Dundee. Small-pox caused 20 deaths and Chicken-pox 1, and all occurred in Glasgow. During the previous week 12 deaths were caused by Small-pox—all in Glasgow. Measles caused 15 deaths, 9 of them being in Edinburgh.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 20 below the number for the previous week.

The Mean Temperature was 41°·2, being 1°·2 above that for the week immediately preceding, and 2°·9 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 9, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Mar. 9, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	985	733	180	55·0	29·0	41·2	0·91
GLASGOW, . . .	12,681	753,766	59·441	9·70	483	366	85	51·0	32·9	41·8	0·83
EDINBURGH, . .	10,598	309,472	29·201	13·83	141	135	27	50·0	32·5	41·2	0·48
DUNDEE, . . .	4,162	169,110	40·632	11·73	106	75	12	50·0	30·5	40·4	0·36
ABERDEEN, . .	6,795	147,313	21·680	16·06	94	52	26	55·0	29·0	41·1	0·08
LEITH,	2,042	79,650	39·006	11·97	55	30	10	51·7	34·6	41·8	0·47
PAISLEY, . . .	3,538	79,658	22·515	15·76	44	39	9	50·4	34·2	42·1	1·43
GREENOCK, . .	1,440	60,267	41·852	11·56	45	27	7	49·8	33·0	40·8	2·64
PERTH,	2,122	30,919	14·571	19·58	17	9	4	50·0	31·0	40·5	0·98
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1051	857	198	50·4	24·0	38·3	0·02

Week ending Saturday, MARCH 9, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·4	3·6	733	155	160	21	15	4	2	51	6	15	1	160	16	162	27	5
GLASGOW, .	25·3	4·3	366	78	70	* 21	1	4	0	30	1	5	0	90	10	85	12	5
EDINBURGH,	22·7	4·0	135	22	40	0	9	0	1	10	3	1	0	26	1	40	9	0
DUNDEE, . .	23·1	4·0	75	20	16	0	0	0	1	6	0	6	0	17	1	11	0	0
ABERDEEN, .	18·4	1·1	52	15	12	0	2	0	0	0	0	1	0	10	0	9	1	0
LEITH, . . .	19·6	3·3	30	4	5	0	3	0	0	1	0	1	0	6	2	5	1	0
PAISLEY, . .	25·5	3·9	39	8	12	0	0	0	0	3	2	1	0	9	1	6	3	0
GREENOCK, .	23·3	0·9	27	7	3	0	0	0	0	1	0	0	1	1	1	3	1	0
PERTH, . . .	15·1	0·0	9	1	2	0	0	0	0	0	0	0	0	1	0	3	0	0

* One from Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 10, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	27·7	3·0	857	176	205	0	17	10	7	24	9	25	5	254	19	177	28	12
GLASGOW, .	31·7	3·6	453	104	94	0	12	5	5	11	5	14	1	158	7	88	15	10
EDINBURGH,	22·4	2·2	130	19	35	0	1	3	0	3	3	3	0	28	5	37	10	0
DUNDEE, . .	26·1	1·6	84	15	22	0	1	0	0	1	0	3	2	24	3	14	0	0
ABERDEEN, .	25·1	2·2	70	20	22	0	0	0	1	4	0	1	2	17	1	17	0	1
LEITH, . . .	13·2	0·7	20	3	1	0	0	0	0	1	0	0	0	6	1	3	1	0
PAISLEY, . .	31·9	5·3	48	6	15	0	3	0	1	3	0	1	0	9	0	9	0	0
GREENOCK, .	28·3	5·2	33	4	8	0	0	2	0	0	1	3	0	4	2	6	2	0
PERTH, . . .	32·0	1·7	19	5	8	0	0	0	0	1	0	0	0	8	0	3	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 16, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, March 16, 1901, was 713, being at the rate of 22·7 per thousand of the estimated population. This rate is the same as that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·1 per thousand; and the highest in Edinburgh, viz., 25·4 per thousand.

From the seven most familiar Zymotic Diseases 98 Deaths were registered, being at the rate of 3·1 per thousand, or 0·5 below that for last week. Hooping-Cough, the most fatal of these diseases, caused 40 deaths, of which 22 occurred in Glasgow. From Small-pox 24 deaths were registered—the number for the previous week being 20—and all occurred in Glasgow. From Diphtheria 7 deaths were recorded, 6 of which took place in Edinburgh.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 166, being 6 above the number for the previous week.

The Mean Temperature was 44°·2, being 3°·0 above that for the week immediately preceding, and 3°·1 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 16, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Mar. 16, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	991	713	157	64·0	31·0	44·2	0·15
GLASGOW, . . .	12,681	753,766	59·441	9·70	478	354	73	58·0	36·5	46·4	0·11
EDINBURGH, . . .	10,598	309,472	29·201	13·83	151	151	34	54·8	33·4	43·1	0·27
DUNDEE,	4,162	169,110	40·632	11·73	91	68	10	57·1	33·6	44·0	0·15
ABERDEEN, . . .	6,795	147,313	21·680	16·06	101	54	17	64·0	31·0	43·5	0·15
LEITH,	2,042	79,650	39·006	11·97	48	17	3	53·7	33·5	44·2	0·18
PAISLEY,	3,538	79,658	22·515	15·76	59	33	9	56·8	37·7	45·4	0·14
GREENOCK, . . .	1,440	60,267	41·852	11·56	41	28	8	53·0	36·2	43·6	0·10
PERTH,	2,122	30,919	14·571	19·58	22	8	3	57·0	35·0	43·5	0·11
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	966	700	152	57·1	24·4	41·1	0·14

Week ending Saturday, MARCH 16, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22·7	3·1	713	148	181	24	10	5	7	40	6	6	5	166	20	174	26
GLASGOW, .	24·4	4·1	354	68	75	24	2	4	1	22	3	3	1	89	13	95	18
EDINBURGH,	25·4	3·4	151	29	43	0	5	1	6	7	0	1	2	33	4	38	3
DUNDEE, . .	20·9	2·2	68	21	14	0	0	0	0	5	1	1	0	17	1	14	0
ABERDEEN, .	19·1	1·1	54	17	18	0	2	0	0	0	0	1	2	10	0	12	1
LEITH, . . .	11·1	1·3	17	2	5	0	1	0	0	0	1	0	0	2	0	3	0
PAISLEY, . .	21·5	1·3	33	2	15	0	0	0	0	2	0	0	0	8	0	6	0
GREENOCK, .	24·2	4·3	28	8	8	0	0	0	0	4	1	0	0	3	1	4	4
PERTH, . . .	13·4	0·0	8	1	3	0	0	0	0	0	0	0	0	4	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 17, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22·7	2·0	700	154	194	0	17	5	4	15	4	18	2	187	29	156	27
GLASGOW, .	25·4	1·6	364	77	84	0	7	3	2	5	3	3	1	119	18	85	11
EDINBURGH,	19·6	2·2	114	22	34	0	1	1	1	5	0	5	0	21	3	30	12
DUNDEE, . .	18·6	2·8	60	17	17	0	5	0	0	1	0	3	0	14	2	9	1
ABERDEEN, .	20·1	2·5	56	20	20	0	0	0	1	1	0	5	1	8	1	14	0
LEITH, . . .	15·9	1·3	24	3	10	0	0	0	0	1	0	1	0	5	2	4	2
PAISLEY, . .	23·3	2·7	35	8	11	0	4	0	0	0	0	0	0	9	1	8	0
GREENOCK, .	26·6	1·7	31	5	11	0	0	1	0	0	1	0	0	9	2	3	1
PERTH, . . .	27·0	5·1	16	2	7	0	0	0	0	2	0	1	0	2	0	3	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 23, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, March 23, 1901, was 663, being at the rate of 21·1 per thousand of the estimated population. This rate is 1·1 below that for the corresponding week of last year, and 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·4 per thousand; and the highest in Glasgow, viz., 23·1 per thousand.

From the seven most familiar Zymotic Diseases 88 Deaths were recorded, being at the rate of 2·8 per thousand, or 0·3 below that for last week. Hooping-Cough was the most fatal of these diseases, having caused 38 deaths, of which 18 occurred in Glasgow, and 8 in Dundee. From Small-pox 11 deaths were registered, all in Glasgow (the number for last week was 24). From Diphtheria, 7 deaths resulted—3 in Glasgow, 3 in Edinburgh, and 1 in Dundee.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, being 42 below the number for the previous week.

The Mean Temperature was 39°·7, being 4°·5 below that for the week immediately preceding, but 3°·8 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 23, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Mar. 23, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	993	663	164	50·0	31·0	39·7	0·12
GLASGOW, . . .	12,681	753,766	59·441	9·70	509	335	81	50·0	32·3	41·1	0·17
EDINBURGH, . .	10,598	309,472	29·201	13·83	150	123	38	45·3	33·0	38·0	0·27
DUNDEE, . . .	4,162	169,110	40·632	11·73	92	73	16	48·0	32·4	39·1	0·01
ABERDEEN, . .	6,795	147,313	21·680	16·06	97	52	11	46·8	31·0	40·0	0·12
LEITH,	2,042	79,650	39·006	11·97	41	27	6	44·8	35·6	39·9	0·32
PAISLEY, . . .	3,538	79,658	22·515	15·76	47	27	3	50·0	31·9	40·4	0·00
GREENOCK, . .	1,440	60,267	41·852	11·56	37	18	6	46·9	32·2	39·5	0·00
PERTH,	2,122	30,919	14·571	19·58	20	8	3	48·0	31·0	39·2	0·03
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	958	686	153	44·0	10·0	35·9	0·68

Week ending Saturday, MARCH 23, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21.1	2.8	663	119	175	12	8	2	7	38	6	15	2	124	27	145	30	0	
GLASGOW, .	23.1	3.0	335	58	67	* 12	0	2	3	18	3	5	1	69	16	76	17	0	
EDINBURGH,	20.7	3.2	123	15	36	0	5	0	3	6	3	2	0	17	5	33	5	0	
DUNDEE, . .	22.4	4.3	73	24	17	0	1	0	1	8	0	4	1	12	2	13	1	0	
ABERDEEN, .	18.4	1.1	52	9	25	0	0	0	0	0	0	3	0	12	0	11	2	0	
LEITH, . . .	17.6	2.6	27	5	8	0	1	0	0	3	0	0	0	6	2	1	1	0	
PAISLEY, . .	17.6	2.6	27	5	10	0	1	0	0	3	0	0	0	4	1	4	4	0	
GREENOCK, .	15.5	0.9	18	3	8	0	0	0	0	0	0	1	0	4	1	2	0	0	
PERTH, . . .	13.4	0.0	8	0	4	0	0	0	0	0	0	0	0	0	0	5	0	0	

* One caused by Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22.2	2.2	686	138	168	0	19	4	6	17	4	18	3	167	19	131	32	3	
GLASGOW, .	23.3	2.7	334	61	58	0	13	4	3	10	1	8	3	100	9	57	17	3	
EDINBURGH,	23.7	1.9	138	33	53	0	1	0	0	2	3	5	0	32	1	30	9	0	
DUNDEE, . .	17.7	0.9	57	9	18	0	2	0	0	0	0	1	0	6	4	14	1	0	
ABERDEEN, .	23.0	1.8	64	18	16	0	0	0	1	3	0	1	0	11	2	16	0	0	
LEITH, . . .	14.6	0.0	22	3	7	0	0	0	0	0	0	0	0	2	1	1	0	0	
PAISLEY, . .	25.2	3.3	38	9	11	0	2	0	0	2	0	1	0	10	1	8	1	0	
GREENOCK, .	22.3	4.3	26	4	3	0	1	0	2	0	0	2	0	5	1	5	2	0	
PERTH, . . .	11.8	0.0	7	1	2	0	0	0	0	0	0	0	0	1	0	0	2	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 30, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, March 30, 1901, was 678, being at the rate of 21·6 per thousand of the estimated population. This rate is 1·2 below that for the corresponding week of last year, but 0·5 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·1 per thousand; and the highest in Edinburgh, viz., 24·0 per thousand.

From the seven most familiar Zymotic Diseases 94 Deaths were registered, being at the rate of 3·0 per thousand, or 0·2 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 36 deaths, of which 14 occurred in Glasgow, 8 in Dundee, and 5 in Paisley. From Small-pox 10 deaths were registered, all of which occurred in Glasgow (the number for last week was 11). From Measles 17 deaths were recorded, of which Edinburgh contributed 8.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, being the same as the number for the previous week.

The Mean Temperature was 33°·8, being 5°·9 below that for the week immediately preceding, and 3°·9 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 30, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Mar. 30, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	945	678	163	49·0	12·0	33·8	0·48
GLASGOW, . . .	12,681	753,766	59·441	9·70	451	331	77	49·0	30·5	40·3	0·03
EDINBURGH, . .	10,598	309,472	29·201	13·83	169	143	31	46·0	22·3	32·1	0·29
DUNDEE, . . .	4,162	169,110	40·632	11·73	101	59	7	44·8	19·0	32·3	0·48
ABERDEEN, . .	6,795	147,313	21·680	16·06	89	52	14	45·8	12·0	31·5	1·33
LEITH,	2,042	79,650	39·006	11·97	45	30	13	47·7	23·9	34·2	0·42
PAISLEY, . . .	3,538	79,658	22·515	15·76	39	32	13	48·0	23·0	34·7	0·79
GREENOCK, . .	1,440	60,267	41·852	11·56	34	22	6	47·5	23·2	33·7	0·22
PERTH,	2,122	30,919	14·571	19·58	17	9	2	48·0	16·0	31·8	0·29
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	985	705	197	53·5	25·0	37·7	0·13

Week ending Saturday, MARCH 30, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·6	3·0	678	122	165	11	17	4	6	36	4	16	3	124	26	152	27	1
GLASGOW, .	22·8	3·1	331	59	63	* 11	5	3	2	14	2	8	2	74	13	84	12	1
EDINBURGH,	24·0	3·0	143	21	46	0	8	0	2	5	1	2	1	24	6	27	10	0
DUNDEE, . .	18·1	3·1	59	12	14	0	0	0	0	8	0	2	0	11	3	11	1	0
ABERDEEN, .	18·4	1·8	52	9	22	0	3	0	0	0	0	2	0	7	1	11	1	0
LEITH, . . .	19·6	3·3	30	7	5	0	1	0	1	3	0	0	0	2	2	6	0	0
PAISLEY, . .	20·9	5·9	32	9	6	0	0	1	1	5	0	2	0	1	0	9	1	0
GREENOCK, .	19·0	1·7	22	5	6	0	0	0	0	1	1	0	0	4	0	1	2	0
PERTH, . . .	15·1	0·0	9	0	3	0	0	0	0	0	0	0	0	1	1	3	0	0

* One caused by Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 31, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·8	2·4	705	149	188	0	14	4	14	24	5	14	3	169	36	154	37	8
GLASGOW, .	25·2	2·9	360	70	92	0	9	4	7	13	2	6	2	88	22	68	21	7
EDINBURGH,	25·3	1·7	147	33	48	0	0	6	3	3	0	4	0	40	4	44	9	0
DUNDEE, . .	17·7	1·9	57	15	10	0	2	0	1	0	2	1	0	13	2	10	0	0
ABERDEEN, .	18·7	2·5	52	16	11	0	0	0	0	6	0	1	1	12	3	10	0	1
LEITH, . . .	11·3	0·0	17	4	3	0	0	0	0	0	0	0	0	3	3	3	3	0
PAISLEY, . .	21·9	4·0	33	5	12	0	3	0	0	2	1	0	0	8	1	9	2	0
GREENOCK, .	24·9	3·4	29	6	9	0	0	0	3	0	0	1	0	4	0	6	2	0
PERTH, . . .	16·9	1·7	10	0	3	0	0	0	0	0	0	1	0	1	1	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 14.

WEEK ENDING SATURDAY, APRIL 6, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, April 6, 1901, was 757, being at the annual rate of 24·1 per thousand of the estimated population. This rate is 2·4 above that for the corresponding week of last year, and 2·5 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·1 per thousand; and the highest in Paisley, viz., 28·1 per thousand.

From the seven most familiar Zymotic Diseases 103 Deaths were registered, being at the rate of 3·3 per thousand, or 0·3 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 57 deaths, of which 31 occurred in Glasgow, 13 in Edinburgh, and 10 in Dundee. From Small-pox 5 deaths were registered (all in Glasgow), as compared with 10 for the previous week. From Measles there resulted 16 deaths, of which 8 occurred in Edinburgh and 3 in Leith.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 148, being 24 above the number for the previous week.

The Mean Temperature was 40°·3, being 6°·5 above that for the week immediately preceding, but 1°·2 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 6, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Proxi- mity in Yards.	Registered during the Week ending April 6, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	899	757	245	54·0	25·5	40·3	1·20
GLASGOW, . . .	12,681	753,766	59·441	9·70	434	369	144	51·3	30·0	41·1	1·07
EDINBURGH, . .	10,598	309,472	29·201	13·83	132	124	39	49·0	31·5	40·1	0·31
DUNDEE, . . .	4,162	169,110	40·632	11·73	94	85	14	49·9	28·2	39·2	1·21
ABERDEEN, . .	6,795	147,313	21·680	16·06	82	72	20	51·8	27·0	39·3	0·68
LEITH,	2,042	79,650	39·006	11·97	45	20	6	50·6	33·0	41·8	0·36
PAISLEY, . . .	3,538	79,658	22·515	15·76	59	43	12	54·0	31·2	41·6	1·84
GREENOCK, . .	1,440	60,267	41·852	11·56	36	31	9	48·0	32·0	39·4	2·96
PERTH,	2,122	30,919	14·571	19·58	17	13	1	51·0	25·5	39·5	1·19
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1023	672	243	56·0	26·0	41·5	0·36

Week ending Saturday, APRIL 6, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 6, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24.1	3.3	757	151	178	6	16	2	8	57	6	8	2	148	21	156	44
GLASGOW, .	25.5	3.7	369	74	79	*6	2	1	5	31	4	5	0	82	10	75	20
EDINBURGH,	20.8	4.4	124	24	25	0	8	1	3	13	0	1	0	16	2	30	18
DUNDEE, . .	26.1	3.1	85	19	26	0	0	0	0	10	0	0	0	14	3	11	0
ABERDEEN, .	25.4	0.7	72	15	14	0	1	0	0	0	0	1	1	17	2	20	0
LEITH, . . .	13.1	2.6	20	3	5	0	3	0	0	1	0	0	1	2	1	3	0
PAISLEY, . .	28.1	2.0	43	11	12	0	1	0	0	1	0	1	0	10	0	8	5
GREENOCK, .	26.7	3.5	31	5	9	0	1	0	0	1	2	0	0	5	2	6	1
PERTH, . . .	21.8	0.0	13	0	8	0	0	0	0	0	0	0	0	2	1	3	0

* One caused by Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 7, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.7	2.0	672	122	177	0	14	4	6	15	5	19	1	155	25	153	30
GLASGOW, .	24.3	2.6	347	56	69	0	9	4	3	10	3	8	0	92	12	84	16
EDINBURGH,	21.7	1.0	126	25	46	0	1	0	1	1	0	3	0	20	5	22	7
DUNDEE, . .	16.4	1.6	53	11	13	0	3	0	1	0	0	1	0	11	1	8	0
ABERDEEN, .	16.9	1.8	47	11	20	0	0	0	0	3	0	2	0	9	3	12	2
LEITH, . . .	16.6	2.0	25	1	7	0	0	0	0	0	0	3	1	7	0	13	1
PAISLEY, . .	20.6	1.3	31	5	11	0	0	0	0	0	1	1	0	7	1	8	1
GREENOCK, .	25.8	3.4	30	8	5	0	1	0	1	0	1	1	0	5	2	4	2
PERTH, . . .	21.9	1.7	13	5	6	0	0	0	0	1	0	0	0	4	1	2	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 13, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, April 13, 1901, was 726, being at the annual rate of 23·2 per thousand of the estimated population. This rate is 1·9 above that for the corresponding week of last year, but 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 16·8 per thousand; and the highest in Glasgow, viz., 24·1 per thousand.

From the seven most familiar Zymotic Diseases 95 Deaths were registered, being at the rate of 3·0 per thousand, or 0·3 below that for last week. Hooping-Cough was the most fatal of these diseases, having caused 51 deaths, of which 27 occurred in Glasgow, 10 in Edinburgh, 6 in Dundee, and 4 in Paisley. From Small-pox 6 deaths were registered (all in Glasgow), being 1 more than the number for the previous week. Seventeen deaths were caused by Measles, of which 10 occurred in Edinburgh.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 154, being 6 above the number for the previous week.

The Mean Temperature was 43°·6, being 3°·3 above that for the week immediately preceding, but 1°·4 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 13, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending April 13, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	1012	726	320	58·9	29·0	43·6	0·77
GLASGOW, . . .	12,681	753,766	59·441	9·70	506	350	152	58·9	30·7	44·4	1·14
EDINBURGH, . .	10,598	309,472	29·201	13·83	171	142	63	56·0	32·5	43·1	0·82
DUNDEE, . . .	4,162	169,110	40·632	11·73	101	73	56	56·4	32·3	43·3	0·71
ABERDEEN, . .	6,795	147,313	21·680	16·06	86	67	20	54·2	30·0	43·4	0·74
LEITH,	2,042	79,650	39·006	11·97	62	29	6	56·2	34·0	44·5	0·53
PAISLEY, . . .	3,538	79,658	22·515	15·76	40	29	9
GREENOCK, . .	1,440	60,267	41·852	11·56	32	26	10
PERTH,	2,122	30,919	14·571	19·58	14	10	4	57·0	29·0	42·6	0·69
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	1002	659	249	61·0	29·2	45·0	0·94

Week ending Saturday, APRIL 13, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23·2	3·0	726	148	168	6	17	3	4	51	1	13	1	154	36	172	32
GLASGOW, .	24·1	3·2	350	74	66	6	3	1	4	27	0	6	1	81	18	89	25
EDINBURGH,	23·9	3·9	142	19	35	0	10	2	0	10	1	0	0	18	8	38	7
DUNDEE, . .	22·4	2·5	73	16	22	0	0	0	0	6	0	2	0	24	0	14	0
ABERDEEN, .	23·6	1·8	67	21	18	0	1	0	0	0	0	4	0	12	3	12	0
LEITH, . . .	18·9	3·3	29	6	7	0	2	0	0	2	0	1	0	7	0	8	0
PAISLEY, . .	18·9	3·3	29	9	7	0	1	0	0	4	0	0	0	8	3	4	0
GREENOCK, .	22·4	1·7	26	2	8	0	0	0	0	2	0	0	0	3	4	3	0
PERTH, . . .	16·8	0·0	10	1	5	0	0	0	0	0	0	0	0	1	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 14, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·3	2·1	659	160	160	0	19	4	3	17	4	19	2	132	33	113	23
GLASGOW, .	21·1	2·4	302	77	59	0	13	3	1	8	3	6	1	72	12	42	11
EDINBURGH,	21·3	1·0	124	23	42	0	1	0	0	2	1	2	1	26	8	30	7
DUNDEE, . .	22·3	2·8	72	20	12	0	2	0	0	1	0	6	0	15	2	14	1
ABERDEEN, .	18·3	2·9	51	18	12	0	0	0	0	3	0	5	0	8	4	7	0
LEITH, . . .	16·6	2·0	25	9	8	0	1	0	0	2	0	0	0	1	0	2	0
PAISLEY, . .	23·3	0·7	35	8	13	0	1	0	0	0	0	0	0	6	2	7	1
GREENOCK, .	22·3	2·6	26	3	8	0	0	1	2	0	0	0	0	1	1	8	0
PERTH, . . .	40·5	3·4	24	2	6	0	1	0	0	1	0	0	0	3	4	3	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 16.

WEEK ENDING SATURDAY, APRIL 20, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, April 20, 1901, was 722, being at the annual rate of 23·0 per thousand of the estimated population. This rate is 2·0 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 18·5 per thousand; and the highest in Dundee, viz., 28·3 per thousand.

From the seven most familiar Zymotic Diseases 117 Deaths were registered, being at the rate of 3·7 per thousand, or 0·7 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 56 Deaths, of which 37 occurred in Glasgow, and 14 in Edinburgh. From Small-pox 10 Deaths were registered (all in Glasgow), as compared with 6 for the previous week. From Measles 21 Deaths resulted, of which 8 were in Edinburgh, 5 in Dundee, and 4 in Leith. Twenty-three Deaths were due to Diarrhoea.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 129, being 25 below the number for the previous week.

The Mean Temperature was 45°·5, being 1°·9 above that for the week immediately preceding, but 5°·5 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 20, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending April 20, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	1010	722	199	67·8	27·0	45·5	0·32
GLASGOW, . . .	12,681	753,766	59·441	9·70	516	320	96	67·8	30·0	46·5	0·57
EDINBURGH, . .	10,598	309,472	29·201	13·83	162	140	36	66·4	31·8	45·7	0·10
DUNDEE, . . .	4,162	169,110	40·632	11·73	95	92	17	60·4	31·2	44·7	0·19
ABERDEEN, . .	6,795	147,313	21·680	16·06	95	58	15	62·5	31·0	43·9	0·48
LEITH,	2,042	79,650	39·006	11·97	58	37	10	62·1	33·8	46·2	0·11
PAISLEY, . . .	3,538	79,658	22·515	15·76	45	33	14	66·5	31·9	47·0	0·28
GREENOCK, . .	1,440	60,267	41·852	11·56	27	31	9	60·2	34·0	44·8	0·66
PERTH,	2,122	30,919	14·571	19·58	12	11	2	66·0	27·0	44·9	0·18
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	1041	650	335	75·0	35·0	51·0	0·28

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, APRIL 20, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	23·0	3·7	722	134	184	10	21	2	1	56	4	23	1	129	25	171	34
GLASGOW, .	22·1	4·6	320	61	64	10	2	2	1	37	2	12	1	49	12	70	11
EDINBURGH,	23·5	4·7	140	24	44	0	8	0	0	14	1	5	0	28	5	43	16
DUNDEE, . .	28·3	3·4	92	22	22	0	5	0	0	2	0	4	0	29	1	24	0
ABERDEEN, .	20·5	0·7	58	7	21	0	1	0	0	0	0	1	0	8	1	13	0
LEITH, . . .	24·2	3·9	37	4	8	0	4	0	0	1	1	0	0	5	4	7	1
PAISLEY, . .	21·5	2·6	33	6	12	0	1	0	0	2	0	1	0	5	1	8	3
GREENOCK, .	26·7	0·0	31	6	10	0	0	0	0	0	0	0	0	4	1	3	2
PERTH, . . .	18·5	0·0	11	4	3	0	0	0	0	0	0	0	0	1	0	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 21, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21·0	2·1	650	126	162	1	18	6	3	19	5	14	2	143	21	115	25
GLASGOW, .	21·4	2·5	306	62	66	*1	11	5	2	10	3	4	1	74	4	58	15
EDINBURGH,	18·4	1·0	107	18	34	0	3	0	0	0	0	3	1	18	8	21	6
DUNDEE, . .	22·3	1·2	72	15	16	0	2	0	0	0	0	2	0	21	2	9	0
ABERDEEN, .	22·6	1·8	63	13	22	0	0	0	0	2	2	1	0	12	1	12	0
LEITH, . . .	21·9	3·3	33	7	6	0	0	0	0	4	0	1	0	4	2	1	1
PAISLEY, . .	18·6	2·0	28	4	8	0	1	0	0	1	0	1	0	2	3	7	2
GREENOCK, .	22·3	3·4	26	7	6	0	0	1	1	0	0	2	0	7	1	5	1
PERTH, . . .	25·3	5·1	15	0	4	0	1	0	0	2	0	0	0	5	0	2	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 17.

WEEK ENDING SATURDAY, APRIL 27, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, April 27, 1901, was 717, being at the annual rate of 22·9 per thousand of the estimated population. This rate is 1·2 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·8 per thousand; and the highest in Edinburgh, viz., 24·5 per thousand.

From the seven most familiar Zymotic Diseases 120 Deaths were registered, being at the rate of 3·8 per thousand, or 0·1 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 62 Deaths, of which 34 occurred in Glasgow and 18 in Edinburgh. From Small-pox 3 Deaths were registered (all in Glasgow), being a decrease of 7 compared with the number for the previous week. From Measles 25 Deaths were recorded, of which 7 occurred in Leith.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 168, being 39 above the number for the previous week.

The Mean Temperature was 51°·2, being 5°·7 above that for the week immediately preceding, and 4°·6 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 27, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending April 27, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	995	717	261	76·0	30·0	51·2	0·08
GLASGOW, . . .	12,681	753,766	59·441	9·70	489	343	122	76·0	34·3	52·3	0·03
EDINBURGH, . .	10,598	309,472	29·201	13·83	152	146	69	68·0	39·0	52·2	0·01
DUNDEE, . . .	4,162	169,110	40·632	11·73	93	61	18	69·4	37·4	50·6	0·25
ABERDEEN, . .	6,795	147,313	21·680	16·06	101	63	24	65·8	32·0	48·2	0·02
LEITH,	2,042	79,650	39·006	11·97	43	36	8	70·1	41·1	51·2	0·07
PAISLEY, . . .	3,538	79,658	22·515	15·76	47	34	12	74·0	35·0	52·9	0·02
GREENOCK, . .	1,440	60,267	41·852	11·56	45	27	3	66·7	37·2	53·0	0·01
PERTH,	2,122	30,919	14·571	19·58	25	7	5	70·5	30·0	49·1	0·19
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1092	672	313	68·5	29·0	46·6	0·19

Week ending Saturday, APRIL 27, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·9	3·8	717	150	158	3	25	8	4	62	5	13	1	168	18	152	36	5
GLASGOW, .	23·7	4·1	343	78	61	3	7	4	2	34	3	7	1	85	10	78	23	4
EDINBURGH,	24·5	4·4	146	28	33	0	6	1	1	18	0	0	0	22	2	34	8	0
DUNDEE, . .	18·8	2·5	61	15	16	0	0	0	0	5	0	3	0	20	2	10	0	0
ABERDEEN, .	22·2	1·1	63	11	25	0	0	1	0	0	0	2	0	15	1	14	3	0
LEITH, . . .	23·5	5·9	36	8	9	0	7	1	0	1	0	0	0	7	3	3	1	1
PAISLEY, . .	22·2	7·2	34	6	5	0	3	1	1	4	1	1	0	12	0	6	0	0
GREENOCK, .	23·3	2·6	27	3	7	0	2	0	0	0	1	0	0	6	0	6	1	0
PERTH, . . .	11·8	0·0	7	1	2	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 28, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·7	2·4	672	134	144	2	24	6	5	23	2	13	5	136	27	179	30	2
GLASGOW, .	24·6	3·4	352	72	61	2	20	5	1	14	1	5	4	85	16	92	19	2
EDINBURGH,	20·0	1·5	116	20	26	0	1	0	4	2	0	2	0	22	7	35	3	0
DUNDEE, . .	18·9	1·9	61	14	13	0	2	0	0	1	1	2	0	11	2	24	0	0
ABERDEEN, .	19·7	2·9	55	12	16	0	0	0	0	4	0	4	1	8	1	14	5	0
LEITH, . . .	16·6	0·0	25	5	5	0	0	0	0	0	0	0	0	0	0	3	0	0
PAISLEY, . .	17·3	2·0	26	7	7	0	1	1	0	1	0	0	0	3	0	5	1	0
GREENOCK, .	24·0	0·0	28	3	11	0	0	0	0	0	0	0	0	4	1	3	2	0
PERTH, . . .	15·2	1·7	9	1	5	0	0	0	0	1	0	0	0	3	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 4, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, May 4, 1901, was 666, being at the annual rate of 21·2 per thousand of the estimated population. This rate is 0·7 above that for the corresponding week of last year, but 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·9 per thousand; and the highest in Greenock, viz., 25·0 per thousand.

From the seven most familiar Zymotic Diseases 83 Deaths were registered, being at the rate of 2·6 per thousand, or 1·2 below that for last week. Hooping-Cough was the most fatal of these diseases, having caused 39 Deaths, of which 16 occurred in Glasgow, 15 in Edinburgh, and 8 in Dundee. From Small-pox 3 Deaths were registered in Glasgow, being the same as in the previous week. Seventeen Deaths were attributed to Measles.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 122, being 46 below the number for the previous week.

The Mean Temperature was 50°·2, being 1°·0 below that for the week immediately preceding, but 1°·1 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 4, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Proxi- mity in Yards.	Registered during the Week ending May 4, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	1016	666	375	73·6	33·0	50·2	0·14
GLASGOW, . . .	12,681	753,766	59·441	9·70	467	290	200	71·0	35·6	52·0	0·06
EDINBURGH, . .	10,598	309,472	29·201	13·83	183	139	71	68·4	36·2	48·0	0·14
DUNDEE, . . .	4,162	169,110	40·632	11·73	102	78	24	71·9	36·6	50·1	0·07
ABERDEEN, . .	6,795	147,313	21·680	16·06	108	55	21	68·2	35·2	48·4	0·28
LEITH,	2,042	79,650	39·006	11·97	55	29	17	71·7	38·1	49·0	0·25
PAISLEY, . . .	3,538	79,658	22·515	15·76	48	34	25	73·6	39·0	53·0	0·08
GREENOCK, . .	1,440	60,267	41·852	11·56	38	29	13	66·2	40·0	50·6	0·05
PERTH,	2,122	30,919	14·571	19·58	15	12	4	71·0	33·0	50·1	0·15
Corresponding Week of 1900.—Eight Towns.	41,584	1,606,935	38·643	11·97	1069	635	322	64·3	36·0	49·1	0·73

Week ending Saturday, MAY 4, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 4, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·2	2·6	666	127	140	3	17	8	2	39	2	12	3	122	28	137	40	6
GLASGOW, .	20·0	2·4	290	50	57	3	6	6	0	16	0	4	1	50	12	64	13	4
EDINBURGH,	23·4	4·2	139	28	28	0	4	1	1	15	1	3	0	25	7	31	18	0
DUNDEE, . .	24·0	2·8	78	15	15	0	0	0	0	8	0	1	1	24	4	17	3	1
ABERDEEN, .	19·4	1·4	55	15	16	0	1	0	0	0	1	2	0	10	2	6	4	0
LEITH, . . .	18·9	3·9	29	10	3	0	4	0	0	0	0	2	1	7	3	6	2	1
PAISLEY, . .	22·2	2·0	34	2	10	0	2	1	0	0	0	0	0	2	0	7	0	0
GREENOCK, .	25·0	0·9	29	4	5	0	0	0	1	0	0	0	0	2	0	4	0	0
PERTH, . . .	20·2	0·0	12	3	6	0	0	0	0	0	0	0	0	2	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 5, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·5	2·1	635	145	131	0	15	2	6	24	6	13	1	119	34	141	38	4
GLASGOW, .	20·7	2·6	296	78	41	0	11	2	1	14	5	4	1	69	11	58	21	4
EDINBURGH,	23·1	1·4	134	22	36	0	2	0	2	2	1	1	0	20	10	42	9	0
DUNDEE, . .	18·3	1·2	59	10	13	0	0	0	1	0	0	3	0	9	5	13	0	0
ABERDEEN, .	20·8	3·9	58	16	17	0	0	0	2	5	0	4	0	8	5	13	1	0
LEITH, . . .	15·9	0·7	24	6	7	0	1	0	0	0	0	0	0	3	0	4	0	0
PAISLEY, . .	17·9	2·0	27	8	5	0	1	0	0	1	0	1	0	4	0	5	2	0
GREENOCK, .	20·6	0·9	24	4	7	0	0	0	0	1	0	0	0	4	2	3	4	0
PERTH, . . .	21·9	1·7	13	1	5	0	0	0	0	1	0	0	0	2	1	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 11, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, May 11, 1901, was 606, being at the annual rate of 19·3 per thousand of the estimated population. This rate is 1·6 above that for the corresponding week of last year, but 1·9 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·0 per thousand; and the highest in Dundee, viz., 22·8 per thousand.

From the seven most familiar Zymotic Diseases 99 Deaths were registered, being at the rate of 3·2 per thousand, or 0·6 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 49 Deaths, of which 21 occurred in Glasgow, 16 in Edinburgh, and 6 in Dundee. From Small-pox 1 Death was registered in Glasgow, as compared with 3 for last week. Seventeen Deaths were attributed to Measles, of which 6 occurred in Leith. Twenty Deaths were due to Diarrhœa.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 114, being 8 below the number for the previous week.

The Mean Temperature was 47°·8, being 2°·4 below that for the week immediately preceding, but 0°·4 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 11, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending May 11, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	1033	606	96	67·5	33·0	47·8	0·63
GLASGOW, . . .	12,681	753,766	59·441	9·70	521	279	54	64·1	39·0	50·5	0·58
EDINBURGH, . .	10,598	309,472	29·201	13·83	156	127	20	57·6	38·4	45·7	0·70
DUNDEE, . . .	4,162	169,110	40·632	11·73	104	74	3	62·9	40·2	47·3	0·52
ABERDEEN, . .	6,795	147,313	21·680	16·06	106	34	13	57·8	37·0	45·6	1·13
LEITH,	2,042	79,650	39·006	11·97	50	25	0	61·7	41·2	47·8	0·61
PAISLEY, . . .	3,538	79,658	22·515	15·76	45	33	2	62·9	36·8	49·1	0·64
GREENOCK, . .	1,440	60,267	41·852	11·56	41	25	3	67·5	36·2	48·8	0·37
PERTH,	2,122	30,919	14·571	19·58	10	9	1	63·0	33·0	47·7	0·50
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	1025	546	91	68·4	34·6	47·4	0·41

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & Boyd, Edinburgh.

Week ending Saturday, MAY 11, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	3·2	606	117	143	1	17	8	4	49	0	20	2	114	13	122	26	2
GLASGOW, .	19·2	2·7	279	55	49	1	5	2	1	21	0	9	0	55	7	49	7	2
EDINBURGH,	21·3	4·4	127	21	36	0	6	2	1	16	0	1	1	21	4	33	14	0
DUNDEE, . .	22·8	4·3	74	17	19	0	0	3	0	6	0	5	0	14	0	16	0	0
ABERDEEN, .	12·0	0·7	34	8	13	0	0	0	1	0	0	1	1	5	1	5	0	0
LEITH, . . .	16·3	6·5	25	5	3	0	6	0	0	3	0	1	0	4	0	3	0	0
PAISLEY, . .	21·5	3·3	33	6	12	0	0	0	1	2	0	2	0	6	0	8	2	0
GREENOCK, .	21·6	1·7	25	3	7	0	0	1	0	1	0	0	0	6	1	6	3	0
PERTH, . . .	15·1	1·7	9	2	4	0	0	0	0	0	0	1	0	3	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 12, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·7	2·0	546	106	124	0	16	7	6	22	3	9	1	90	21	124	23	2
GLASGOW, .	19·7	2·7	282	54	55	0	9	4	2	16	3	5	1	54	8	59	10	1
EDINBURGH,	16·2	1·7	94	12	22	0	2	2	2	0	0	4	0	11	8	33	9	0
DUNDEE, . .	16·8	0·0	54	12	14	0	0	0	0	0	0	0	0	7	2	10	1	1
ABERDEEN, .	12·2	2·5	34	8	11	0	1	0	2	4	0	0	0	2	0	7	0	0
LEITH, . . .	9·9	0·7	15	1	4	0	1	0	0	0	0	0	0	5	1	5	0	0
PAISLEY, . .	21·3	2·7	32	8	9	0	2	1	0	1	0	0	0	4	0	6	1	0
GREENOCK, .	19·7	0·0	23	8	7	0	0	0	0	0	0	0	0	6	1	2	2	0
PERTH, . . .	20·2	3·4	12	3	2	0	1	0	0	1	0	0	0	1	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 18, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, May 18, 1901, was 633, being at the annual rate of 20·2 per thousand of the estimated population. This rate is 0·7 above that for the corresponding week of last year, and 0·9 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 16·0 per thousand; and the highest in Perth, viz., 23·5 per thousand.

From the seven most familiar Zymotic Diseases 89 Deaths were registered, being at the rate of 2·8 per thousand, or 0·4 below that for last week. Hooping-Cough was the most fatal of these diseases, having caused 41 Deaths, of which 18 occurred in Glasgow, 14 in Edinburgh, and 5 in Dundee. From Small-pox 3 Deaths were registered in Glasgow, as compared with 1 for the previous week. Fifteen Deaths were caused by Measles and 18 by Diarrhœa.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 101, being 13 below the number for the previous week.

The Mean Temperature was 51°·9, being 4°·1 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 18, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending May 18, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,630,155	37·580	12·19	997	633	84	76·0	32·9	51·9	0·00
GLASGOW, . . .	12,681	753,766	59·441	9·70	497	307	39	75·2	32·9	52·8	0·00
EDINBURGH, . .	10,598	309,472	29·201	13·83	155	116	19	62·3	37·7	50·5	0·00
DUNDEE, . . .	4,162	169,110	40·632	11·73	92	52	8	66·8	38·9	50·3	0·01
ABERDEEN, . .	6,795	147,313	21·680	16·06	100	61	6	63·5	33·0	49·3	0·01
LEITH,	2,042	79,650	39·006	11·97	46	29	3	64·7	40·5	51·7	0·00
PAISLEY, . . .	3,538	79,658	22·515	15·76	49	29	5	76·0	35·1	55·2	0·00
GREENOCK, . .	1,440	60,267	41·852	11·56	41	25	3	71·2	38·2	54·2	0·00
PERTH,	2,122	30,919	14·571	19·58	17	14	1	69·0	34·0	51·2	0·00
Corresponding Week of 1900. — Eight Towns.	41,584	1,606,935	38·643	11·97	990	602	72	75·0	28·5	49·1	0·03

Week ending Saturday, MAY 18, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 18, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.2	2.8	633	129	132	3	15	2	6	41	4	18	0	101	29	136	28	1
GLASGOW, .	21.2	3.2	307	73	49	3	9	1	4	18	2	10	0	53	15	71	13	1
EDINBURGH,	19.5	4.0	116	15	31	0	4	0	1	14	1	4	0	10	5	36	9	0
DUNDEE, . .	16.0	2.8	52	7	18	0	1	0	1	5	0	2	0	11	0	7	0	0
ABERDEEN, .	21.5	1.1	61	16	14	0	1	0	0	1	0	1	0	7	6	10	0	0
LEITH, . . .	18.9	1.3	29	6	6	0	0	0	0	2	0	0	0	8	2	4	1	0
PAISLEY, . .	18.9	2.0	29	7	8	0	0	0	0	1	1	1	0	5	0	6	2	0
GREENOCK, .	21.6	0.0	25	3	3	0	0	0	0	0	0	0	0	3	1	0	3	0
PERTH, . . .	23.5	1.7	14	2	3	0	0	1	0	0	0	0	0	4	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 19, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	2.8	602	122	125	1	19	7	7	30	6	15	5	79	27	151	21	3
GLASGOW, .	20.3	3.8	290	64	50	1	10	5	4	23	2	10	1	43	12	66	5	3
EDINBURGH,	18.2	1.7	106	15	28	0	5	0	2	1	1	1	2	12	6	36	7	0
DUNDEE, . .	21.1	1.9	68	16	14	0	3	0	0	0	1	2	0	10	2	13	0	0
ABERDEEN, .	15.1	1.8	42	9	11	0	0	0	0	4	1	0	1	2	2	10	2	0
LEITH, . . .	13.2	0.7	20	5	5	0	1	0	0	0	0	0	0	1	1	5	0	0
PAISLEY, . .	24.6	1.3	37	6	12	0	0	1	0	1	0	0	0	6	0	15	2	0
GREENOCK, .	18.0	3.4	21	5	0	0	0	1	1	0	0	2	1	2	4	2	5	0
PERTH, . . .	30.4	3.4	18	2	5	0	0	0	0	1	1	0	0	3	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 25, 1901.

NOTE.—In this Report a revised and undoubtedly more accurate estimate of population is used, founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census. These numbers are subject to revision, but may be accepted as correct enough for all practical purposes. It is to be noted that latterly in these Reports the number of inhabitants in Dundee and Leith has been over-estimated, while in all the other towns except Paisley the reverse holds, the greatest discrepancy occurring in Greenock. In the case of Paisley no appreciable alteration of the estimate requires to be made.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, May 25, 1901, was 659, being at the annual rate of 20·7 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, and 0·8 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 14·2 per thousand; and the highest in Dundee, viz., 23·6 per thousand.

From the seven most familiar Zymotic Diseases 94 Deaths were registered, being at the rate of 3·0 per thousand, or 0·2 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 40 Deaths, of which 19 occurred in Glasgow, 13 in Edinburgh, and 4 in Leith. From Small-pox 1 Death was recorded in Glasgow, as compared with 3 for the previous week. Measles caused 19 Deaths and Diarrhoea 30.

From Bronchitis, Pneumonia, and Pleurisy there resulted 101 Deaths, being the same as the number for the previous week.

The Mean Temperature was 54°·7, being 2°·8 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 25, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending May 25, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,652,928	38·105	12·11	899	659	88	75·1	35·0	54·7	0·00
GLASGOW, . . .	12,681	763,144	60·180	9·64	426	294	38	74·5	39·0	55·7	0·01
EDINBURGH, . .	10,598	317,561	29·964	13·66	157	134	19	68·9	41·2	53·5	0·00
DUNDEE, . . .	4,162	161,044	38·694	12·02	84	73	11	68·8	40·7	53·6	0·00
ABERDEEN, . .	6,795	153,888	22·647	15·71	92	65	12	65·2	38·0	50·9	0·00
PAISLEY, . . .	3,538	79,709	22·529	15·71	53	31	2	75·1	41·3	57·9	0·00
LEITH,	2,042	76,878	37·648	12·18	35	28	5	70·7	41·8	55·2	0·00
GREENOCK, . .	1,440	67,754	47·051	10·90	35	25	1	73·0	43·5	56·2	0·00
PERTH,	2,122	32,950	15·528	18·97	17	9	0	74·0	35·0	54·2	0·00
Corresponding Week of 1900.—Eight Towns.	41,584	1,631,017	39·222	11·94	897	606	88	67·0	34·0	51·9	0·66

Week ending Saturday, MAY 25, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·7	3·0	659	133	135	1	19	2	2	40	0	30	0	101	18	147	24
GLASGOW, .	20·0	3·3	294	62	40	1	10	1	1	19	0	17	0	45	11	61	7
EDINBURGH,	21·9	3·3	134	21	34	0	2	1	1	13	0	3	0	20	3	42	11
DUNDEE, . .	23·6	2·3	73	14	25	0	1	0	0	3	0	3	0	15	2	13	1
ABERDEEN, .	22·0	1·0	65	16	20	0	0	0	0	0	0	3	0	8	1	12	1
PAISLEY, . .	20·2	3·3	31	5	7	0	2	0	0	1	0	2	0	3	1	7	1
LEITH, . . .	18·9	3·4	28	6	4	0	1	0	0	4	0	0	0	4	0	9	0
GREENOCK, .	19·2	2·3	25	7	2	0	3	0	0	0	0	0	0	6	0	2	2
PERTH, . . .	14·2	3·2	9	2	3	0	0	0	0	0	0	2	0	0	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·3	2·4	606	114	130	1	10	3	5	36	2	19	2	92	31	129	28
GLASGOW, .	21·2	3·4	306	59	59	1	6	2	2	28	1	9	2	46	12	55	17
EDINBURGH,	19·8	1·2	119	21	31	0	2	0	1	1	0	3	0	19	9	36	6
DUNDEE, . .	15·6	1·3	48	10	12	0	0	0	1	0	0	3	0	9	4	10	0
ABERDEEN, .	19·7	3·4	57	17	7	0	0	0	0	6	1	3	0	3	4	11	1
PAISLEY, . .	16·6	0·0	25	2	8	0	0	0	0	0	0	0	0	5	1	4	4
LEITH, . . .	10·9	1·4	16	2	3	0	2	0	0	0	0	0	0	3	0	3	0
GREENOCK, .	17·8	2·3	23	1	7	0	0	1	1	1	0	0	0	6	1	3	0
PERTH, . . .	19·1	1·6	12	2	3	0	0	0	0	0	0	1	0	1	0	7	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, JUNE 1, 1901.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained. They may be accepted as correct enough for all practical purposes.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, June 1, 1901, was 638, being at the annual rate of 20·1 per thousand of the estimated population. This rate is 1·8 above that for the corresponding week of last year (as corrected from a revised estimate of population), but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·9 per thousand; and the highest in Paisley, viz., 26·7 per thousand.

From the seven most familiar Zymotic Diseases 98 Deaths were registered, being at the rate of 3·1 per thousand, or 0·1 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 47 Deaths, of which 22 occurred in Glasgow, 17 in Edinburgh, and 4 in Paisley. From Small-pox 1 Death was recorded in Glasgow, being the same as the number for the previous week. Measles was the cause of 17 Deaths, and Diarrhoea of 24.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 106, being 5 above the number for the previous week.

The Mean Temperature was 55°·8, being 1°·1 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 1, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending June 1, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,652,928	38·105	12·11	1043	638	99	70·0	41·0	55·8	1·34
GLASGOW, . . .	12,681	763,144	60·180	9·64	539	281	40	70·0	45·8	59·1	1·59
EDINBURGH, . .	10,598	317,561	29·964	13·66	172	136	24	67·8	43·5	53·3	1·30
DUNDEE, . . .	4,162	161,044	38·694	12·02	89	61	9	68·4	42·1	55·9	1·33
ABERDEEN, . .	6,795	153,888	22·647	15·71	92	56	22	64·0	45·0	53·8	0·88
PAISLEY, . . .	3,538	79,709	22·529	15·71	54	41	1	69·3	44·9	57·7	0·00
LEITH,	2,042	76,878	37·648	12·18	48	19	1	67·8	46·0	55·0	1·57
GREENOCK, . .	1,440	67,754	47·051	10·90	36	33	2	68·0	47·0	56·4	1·85
PERTH,	2,122	32,950	15·528	18·97	13	11	0	68·0	41·0	55·3	2·23
Corresponding Week of 1900.—Eight Towns.	41,584	1,631,017	39·222	11·94	886	575	170	69·0	39·0	53·0	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 1, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.1	3.1	638	137	144	2	17	1	4	47	3	24	1	106	29	142	26
GLASGOW, .	19.1	3.9	281	64	50	1	12	1	2	22	3	16	1	41	15	60	11
EDINBURGH,	22.3	3.9	136	28	28	0	2	0	1	17	0	4	0	16	9	41	6
DUNDEE, . .	19.7	1.6	61	14	17	*1	0	0	0	2	0	2	0	23	2	8	3
ABERDEEN, .	18.9	1.0	56	10	18	0	1	0	0	1	0	1	0	11	2	10	1
PAISLEY, . .	26.7	3.3	41	6	11	0	0	0	0	4	0	1	0	5	0	15	1
LEITH, . . .	12.9	0.7	19	7	5	0	0	0	0	1	0	0	0	2	0	2	0
GREENOCK, .	25.3	2.3	33	7	8	0	2	0	1	0	0	0	0	6	1	5	4
PERTH, . . .	17.4	0.0	11	1	7	0	0	0	0	0	0	0	0	2	0	1	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 2, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.3	2.3	575	110	133	1	16	1	4	25	1	25	3	101	38	136	41
GLASGOW, .	20.5	3.7	296	56	54	1	14	0	3	21	1	13	2	57	22	74	22
EDINBURGH,	18.3	0.5	110	14	30	0	1	0	0	0	0	2	1	18	6	27	10
DUNDEE, . .	16.5	1.3	51	15	14	0	0	0	0	0	0	4	0	5	3	10	0
ABERDEEN, .	13.4	1.7	39	6	16	0	0	0	0	2	0	3	0	7	3	9	2
PAISLEY, . .	18.6	0.7	28	6	8	0	0	0	0	0	0	1	0	5	2	6	5
LEITH, . . .	13.0	1.4	19	3	2	0	1	0	0	0	0	1	0	3	1	2	1
GREENOCK, .	13.9	2.3	18	8	5	0	0	1	1	0	0	1	0	2	1	4	1
PERTH, . . .	22.3	3.2	14	2	4	0	0	0	0	2	0	0	0	4	0	4	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 8, 1901.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, with the addition of the Shipping as allocated to these towns, and will be employed until the revised details of the Census are obtained. They may be accepted as correct enough for all practical purposes.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, June 8, 1901, was 625, being at the annual rate of 19·6 per thousand of the estimated population. This rate is 1·7 above that for the corresponding week of last year (as corrected from a revised estimate of population), but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·7 per thousand; and the highest in Glasgow, viz., 21·4 per thousand.

From the seven most familiar Zymotic Diseases 102 Deaths were registered, being at the rate of 3·2 per thousand, or 0·1 above that for last week. Hooping-Cough was the most fatal of these diseases, having caused 48 Deaths, of which 25 occurred in Glasgow, 11 in Edinburgh, 6 in Dundee, and 4 in Leith. From Small-pox 1 Death was recorded in Glasgow, being the same as the number for the previous week. Measles was the cause of 21 Deaths, and Diarrhoea of 18.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 98, being 8 below the number for the previous week.

The Mean Temperature was 57°·1, being 1°·3 above that for the week immediately preceding, and 4°·4 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 8, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending June 8, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,625	38·190	12·10	1035	625	388	80·0	40·0	57·1	0·31
GLASGOW, . . .	12,681	764,423	60·281	9·63	539	315	171	80·0	50·0	60·3	0·32
EDINBURGH, . .	10,598	317,885	29·995	13·65	159	121	93
DUNDEE, . . .	4,162	161,346	38·766	12·01	89	60	25	80·0	43·7	57·5	0·27
ABERDEEN, . .	6,795	154,289	22·706	15·69	94	41	41	73·0	42·0	56·7	0·08
PAISLEY, . . .	3,538	79,718	22·532	15·75	47	21	14	79·0	42·0	57·5	0·33
LEITH,	2,042	77,770	38·085	12·11	54	30	11
GREENOCK, . .	1,440	68,237	47·387	10·86	42	25	18	62·0	49·0	54·7	0·57
PERTH,	2,122	32,957	15·531	18·97	11	12	15	80·0	40·0	56·2	0·30
Corresponding Week of 1900. — Eight Towns.	41,584	1,634,220	39·299	11·92	1030	564	618	76·1	38·0	52·7	0·27

Week ending Saturday, JUNE 8, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.6	3.2	625	128	148	1	21	1	7	48	6	18	0	98	34	133	23	1
GLASGOW, .	21.4	4.0	315	66	55	1	13	1	4	25	4	11	0	48	17	59	17	1
EDINBURGH,	19.8	2.8	121	25	34	0	3	0	1	11	0	2	0	22	8	39	5	0
DUNDEE, . .	19.3	3.2	60	16	17	0	1	0	0	6	0	3	0	14	3	11	1	0
ABERDEEN, .	13.8	0.7	41	8	15	0	0	0	0	0	1	1	0	4	2	11	0	0
PAISLEY, . .	13.7	1.3	21	1	5	0	1	0	0	1	0	0	0	4	1	5	0	0
LEITH, . . .	20.1	3.3	30	6	14	0	1	0	0	4	0	0	0	2	2	2	0	0
GREENOCK, .	19.1	3.8	25	3	3	0	2	0	2	0	1	0	0	3	0	3	0	0
PERTH, . . .	18.9	3.2	12	3	5	0	0	0	0	1	0	1	0	1	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 9, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.9	1.8	564	110	128	1	19	6	3	17	5	7	6	100	16	113	24	1
GLASGOW, .	19.7	3.0	285	51	57	*1	14	4	2	14	4	4	2	58	7	53	13	1
EDINBURGH,	15.4	1.2	93	17	23	0	4	0	1	1	0	1	0	13	4	27	5	0
DUNDEE, . .	19.4	1.0	60	13	15	0	0	0	0	0	1	2	0	13	3	7	0	0
ABERDEEN, .	15.1	0.7	44	11	16	0	0	0	0	2	0	0	1	4	1	12	3	0
PAISLEY, . .	13.3	1.3	20	1	4	0	0	2	0	0	0	0	0	5	0	7	1	0
LEITH, . . .	17.6	0.7	26	6	3	0	1	0	0	0	0	0	1	5	1	3	0	0
GREENOCK, .	19.2	0.0	25	8	7	0	0	0	0	0	0	0	0	2	0	4	2	0
PERTH, . . .	17.5	0.0	11	3	3	0	0	0	0	0	0	0	2	0	0	0	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24.

WEEK ENDING SATURDAY, JUNE 15, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, June 15, 1901, was 539, being at the annual rate of 16·9 per thousand of estimated population. This rate is 2·7 below that for the corresponding week of last year (as corrected from a revised estimate of population), and also 2·7 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·5 per thousand; and the highest in Greenock, viz., 19·8 per thousand.

From the seven most familiar Zymotic Diseases 75 Deaths were registered, being at the rate of 2·4 per thousand, or 0·8 below that for last week. Of these deaths 32 were due to Hooping-Cough, and 17 each to Measles and Diarrhœa.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 101, being 3 above the number for the previous week.

The Mean Temperature was 51°·9, being 5°·2 below that for the week immediately preceding, and 9°·0 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 15, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending June 15, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,625	38·190	12·10	1005	539	644	73·0	34·0	51·9	0·28
GLASGOW, . . .	12,681	764,423	60·281	9·63	482	262	304	63·8	44·8	53·5	0·48
EDINBURGH, . .	10,598	317,885	29·995	13·65	157	105	141	64·5	39·2	51·0	0·20
DUNDEE, . . .	4,162	161,346	38·766	12·01	97	49	54	68·8	37·3	52·2	0·03
ABERDEEN, . .	6,795	154,289	22·706	15·69	110	37	63	67·0	40·0	50·6	0·39
PAISLEY, . . .	3,538	79,718	22·532	15·75	44	24	14	66·9	42·0	53·3	0·28
LEITH,	2,042	77,770	38·085	12·11	53	25	33	67·0	41·7	53·6	0·27
GREENOCK, . .	1,440	68,237	47·387	10·86	47	26	24	73·0	40·5	51·9	0·50
PERTH,	2,122	32,957	15·531	18·97	15	11	11	62·5	34·0	49·4	0·06
Corresponding Week of 1900. — Eight Towns.	41,584	1,634,220	39·299	11·92	1014	616	544	77·0	45·0	60·9	0·77

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 15, 1901.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 15, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.9	2.4	539	102	119	0	17	3	3	32	3	17	0	101	29	113	31	1
GLASGOW, .	17.8	2.6	262	57	40	0	9	1	0	16	3	9	0	59	16	48	12	1
EDINBURGH,	17.2	2.9	105	19	23	0	2	1	1	9	0	5	0	10	5	30	13	0
DUNDEE, . .	15.8	1.9	49	8	24	0	2	0	1	3	0	0	0	10	2	13	0	0
ABERDEEN, .	12.5	0.7	37	3	11	0	0	0	0	1	0	1	0	10	3	7	3	0
PAISLEY, . .	15.7	2.6	24	5	2	0	1	0	0	2	0	1	0	2	0	2	1	0
LEITH, . . .	16.7	2.0	25	6	7	0	1	0	0	1	0	1	0	6	1	6	0	0
GREENOCK, .	19.8	3.0	26	3	8	0	2	1	1	0	0	0	0	3	1	5	1	0
PERTH, . . .	17.4	0.0	11	1	4	0	0	0	0	0	0	0	0	1	1	2	1	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 16, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.6	2.5	616	136	130	0	23	6	4	21	2	22	1	100	27	124	28	2
GLASGOW, .	19.7	3.2	286	61	43	0	14	1	1	17	2	12	0	43	11	62	12	2
EDINBURGH,	18.2	1.8	110	27	29	0	4	2	1	2	0	2	0	11	6	23	12	0
DUNDEE, . .	21.4	2.6	66	19	12	0	3	0	0	0	0	5	1	17	5	9	2	0
ABERDEEN, .	21.0	1.4	61	14	16	0	0	1	1	2	0	0	0	7	3	12	0	0
PAISLEY, . .	19.9	2.0	30	1	7	0	1	1	1	0	0	0	0	7	1	5	1	0
LEITH, . . .	18.3	0.7	27	7	8	0	1	0	0	0	0	0	0	6	1	4	1	0
GREENOCK, .	15.3	3.1	20	6	8	0	0	1	0	0	0	3	0	5	0	4	0	0
PERTH, . . .	25.5	0.0	16	1	7	0	0	0	0	0	0	0	0	4	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 25.

WEEK ENDING SATURDAY, JUNE 22, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, June 22, 1901, was 592, being at the annual rate of 18·6 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year (as corrected from a revised estimate of population), and 1·7 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·1 per thousand; and the highest in Glasgow, viz., 19·9 per thousand.

From the seven most familiar Zymotic Diseases 97 Deaths were registered, being at the rate of 3·0 per thousand, or 0·6 above that for last week. Of these deaths 44 were due to Hooping-Cough, of which 24 occurred in Glasgow, 12 in Edinburgh and 4 in Leith. One death was recorded from Small-pox in Glasgow, there having been none during the previous week. From Measles 25 deaths resulted.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being 9 below the number for the previous week.

The Mean Temperature was 55°·0, being 3°·1 above that for the week immediately preceding, but 3°·2 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 22, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending June 22, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	1047	592	510	70·4	33·0	55·0	1·31
GLASGOW, . . .	12,681	764,423	60·281	9·63	538	292	265	68·2	49·4	59·4	0·98
EDINBURGH, . .	10,598	317,885	29·995	13·65	171	113	107	65·6	41·4	54·1	1·18
DUNDEE, . . .	4,162	161,346	38·766	12·01	101	56	35	69·6	39·2	55·1	1·50
ABERDEEN, . .	6,795	154,289	22·706	15·69	89	53	46	70·4	37·4	52·2	0·80
PAISLEY, . . .	3,538	79,718	22·532	15·75	47	27	18	68·9	42·7	55·5	2·15
LEITH,	2,042	77,670	38·036	12·12	44	21	17	69·2	44·9	56·7	0·63
GREENOCK, . .	1,440	68,237	47·387	10·86	45	19	13	64·2	42·2	53·8	2·49
PERTH,	2,122	32,957	15·531	18·97	12	11	9	68·0	33·0	53·6	0·75
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	1069	510	474	73·5	42·5	58·2	0·84

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 22, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	3·0	592	99	139	1	25	8	3	44	3	13	0	92	24	155	32	3
GLASGOW, .	19·9	3·8	292	57	62	1	15	5	1	24	2	8	0	45	16	75	11	3
EDINBURGH,	18·5	2·9	113	15	26	0	3	1	2	12	0	0	0	12	2	37	11	0
DUNDEE, . .	18·0	1·6	56	8	16	0	3	0	0	2	0	0	0	10	3	18	0	0
ABERDEEN, .	17·9	0·7	53	8	19	0	0	1	0	0	0	1	0	3	2	11	5	0
PAISLEY, . .	17·6	3·3	27	5	7	0	1	1	0	0	0	3	0	7	0	6	4	0
LEITH, . . .	14·1	5·4	21	4	1	0	3	0	0	4	0	1	0	5	0	1	0	0
GREENOCK, .	14·5	1·5	19	2	6	0	0	0	0	2	0	0	0	5	1	2	1	0
PERTH, . . .	17·4	1·6	11	0	2	0	0	0	0	0	1	0	0	5	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 23, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·3	1·9	510	122	106	1	14	2	4	18	2	19	0	87	25	124	25	1
GLASGOW, .	18·6	2·7	269	66	47	1	11	2	3	16	1	5	0	49	12	70	11	0
EDINBURGH,	16·6	2·0	99	26	19	0	2	0	1	1	1	7	0	19	2	23	6	0
DUNDEE, . .	15·9	1·3	49	10	13	0	1	0	0	1	0	2	0	6	1	8	0	0
ABERDEEN, .	13·1	0·3	38	10	11	0	0	0	0	0	0	1	0	6	4	13	2	1
PAISLEY, . .	10·6	1·3	16	3	5	0	0	0	0	0	0	2	0	4	1	0	1	0
LEITH, . . .	8·8	0·7	13	4	1	0	0	0	0	0	0	1	0	1	2	1	1	0
GREENOCK, .	13·0	0·8	17	3	6	0	0	0	0	0	0	1	0	1	3	5	3	0
PERTH, . . .	14·3	0·0	9	0	4	0	0	0	0	0	0	0	0	1	0	4	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JUNE 29, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, June 29, 1901, was 552, being at the annual rate of 17·3 per thousand of estimated population. This rate is 0·3 below that for the corresponding week of last year (as corrected from a revised estimate of population), and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Dundee, viz., 19·0 per thousand.

From the seven most familiar Zymotic Diseases 86 Deaths were registered, being at the rate of 2·7 per thousand, or 0·3 below that for last week. Of these deaths 25 were due to Measles, 30 to Hooping-Cough, and 24 to Diarrhœa. One death was recorded from Small-pox in Glasgow, being the same as the number for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 92, being the same as the number for last week.

The Mean Temperature was 57°·2, being 2°·2 above that for the week immediately preceding, and 0°·6 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 29, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Proximity in Yards.	Registered during the Week ending June 29, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	1017	552	452	72·3	37·0	57·2	0·66
GLASGOW, . . .	12,681	764,423	60·281	9·63	498	273	224	69·9	51·8	59·7	1·96
EDINBURGH, . .	10,598	317,885	29·995	13·65	152	100	84	65·7	45·4	56·0	0·61
DUNDEE, . . .	4,162	161,346	38·766	12·01	112	59	35	72·3	43·2	57·2	0·46
ABERDEEN, . .	6,795	154,289	22·706	15·69	80	49	56	67·0	46·0	56·5	0·01
PAISLEY, . . .	3,538	79,718	22·532	15·75	46	27	9	72·1	46·0	57·6	0·25
LEITH,	2,042	77,670	38·036	12·12	69	15	17	71·2	48·0	58·4	0·96
GREENOCK, . .	1,440	68,237	47·387	10·86	41	23	18	70·0	47·2	56·3	0·29
PERTH,	2,122	32,957	15·531	18·97	19	6	9	71·0	37·0	55·8	0·76
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	1056	552	482	69·4	43·0	56·6	1·09

Week ending Saturday, JUNE 29, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.3	2.7	552	98	126	1	25	2	4	30	0	24	3	92	17	107	27	2
GLASGOW, .	18.6	3.2	273	60	50	1	15	2	4	14	0	11	2	52	7	43	15	2
EDINBURGH,	16.4	2.0	100	14	25	0	1	0	0	7	0	4	0	12	2	29	9	0
DUNDEE, . .	19.0	3.9	59	9	16	0	4	0	0	5	0	3	0	10	3	11	0	0
ABERDEEN, .	16.5	0.3	49	7	13	0	0	0	0	0	0	1	1	11	0	10	1	0
PAISLEY, . .	17.6	3.9	27	2	6	0	1	0	0	2	0	3	0	3	2	3	1	0
LEITH, . . .	10.0	2.0	15	0	5	0	2	0	0	1	0	0	0	1	0	6	0	0
GREENOCK, .	17.5	3.8	23	4	9	0	2	0	0	1	0	2	0	3	1	2	1	0
PERTH, . . .	9.5	0.0	6	2	2	0	0	0	0	0	0	0	0	0	2	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 30, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from														
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	17.6	2.6	552	126	114	2	18	7	2	26	4	24	4	93	17	122	26	2		
GLASGOW, .	18.7	3.5	271	60	46	2	11	5	1	23	1	8	3	47	9	60	11	2		
EDINBURGH,	17.0	1.8	101	19	30	0	4	1	0	0	2	4	0	12	4	33	10	0		
DUNDEE, . .	18.8	2.3	58	16	4	0	1	1	0	0	1	4	0	11	0	15	1	0		
ABERDEEN, .	12.7	1.4	37	14	12	0	0	0	0	1	0	3	0	11	2	1	1	0		
PAISLEY, . .	15.3	1.3	23	2	5	0	1	0	0	0	0	1	0	5	0	4	0	0		
LEITH, . . .	12.9	2.7	19	6	4	0	1	0	1	1	0	1	0	2	1	3	1	0		
GREENOCK, .	23.0	3.1	30	8	8	0	0	0	0	1	0	3	1	5	0	4	2	0		
PERTH, . . .	20.7	0.0	13	1	5	0	0	0	0	0	0	0	0	0	1	2	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 6, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, July 6, 1901, was 606, giving an annual mortality rate of 19·0 per thousand of the estimated population. This rate is 1·6 above that for the corresponding week of last year, and 1·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·3 per thousand; and the highest in Leith, viz., 24·8 per thousand.

From the seven most familiar Zymotic Diseases 81 Deaths were registered, being at the rate of 2·5 per thousand, or 0·2 below that for last week. Of these deaths 25 were caused by Measles, the same number by Hooping-Cough, and 19 by Diarrhoea. From Small-pox one death was recorded in Glasgow, being the same as the number for the two preceding weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 93, showing an increase of one compared with the number for the previous week.

The Mean Temperature was 58°·4, being 1°·2 above that for the week immediately preceding, and 1°·0 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 6, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending July 6, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	1014	606	467	82·5	43·0	58·4	0·05
GLASGOW,	12,681	764,423	60·281	9·63	506	303	226	82·1	53·3	63·0	0·15
EDINBURGH, . . .	10,598	317,885	29·995	13·65	156	108	94	72·9	44·7	55·5	0·03
DUNDEE,	4,162	161,346	38·766	12·01	107	47	33	73·2	47·0	57·1	0·05
ABERDEEN, . . .	6,795	154,289	22·706	15·69	85	53	38	69·0	47·0	55·3	0·00
PAISLEY,	3,538	79,718	22·532	15·75	56	29	18	80·3	49·0	60·6	0·06
LEITH,	2,042	77,670	38·036	12·12	50	37	21	71·9	47·9	56·2	0·06
GREENOCK, . . .	1,440	68,237	47·387	10·86	33	25	29	78·0	49·0	60·5	0·03
PERTH,	2,122	32,957	15·531	18·97	21	4	8	82·5	43·0	58·7	0·06
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	938	546	438	73·2	43·0	57·4	0·55

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 13, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, July 13, 1901, was 549, being at the annual rate of 17·2 per thousand of the estimated population. This rate is 0·2 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The lowest mortality-rate was recorded in Aberdeen, viz., 11·5 per thousand; and the highest in Dundee, viz., 24·2 per thousand.

From the seven most familiar Zymotic Diseases 89 Deaths were registered, being at the rate of 2·8 per thousand, or 0·3 above that for last week. Of these deaths Measles and Hooping-Cough each caused 22 and Diarrhoea 29. From Small-pox one death was registered in Glasgow, being the same as the number for the three preceding weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 75, being a decrease of 18 compared with the number for the previous week.

The Mean Temperature was 63°·3, being 4°·9 above that for the week immediately preceding, and 2°·4 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 13, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending July 13, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	990	549	426	87·8	42·0	63·3	0·05
GLASGOW, . . .	12,681	764,423	60·281	9·63	452	253	219	80·0	0·00
EDINBURGH, . .	10,598	317,885	29·995	13·65	195	92	77	80·6	49·5	63·7	0·19
DUNDEE, . . .	4,162	161,346	38·766	12·01	99	75	16	76·9	47·1	63·7	0·00
ABERDEEN, . .	6,795	154,289	22·706	15·69	98	34	37	76·0	45·0	61·5	0·09
PAISLEY, . . .	3,538	79,718	22·532	15·75	43	31	21	87·8	46·1	64·3	0·00
LEITH,	2,042	77,670	38·036	12·12	42	19	9
GREENOCK, . .	1,440	68,237	47·387	10·86	52	31	27	76·5	48·0	62·2	0·00
PERTH,	2,122	32,957	15·531	18·97	9	14	20	80·5	42·0	64·3	0·05
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	958	533	436	78·9	38·0	60·9	0·57

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 13, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 13, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths from All Causes.	Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	17·2	2·8	549	110	130	1	22	7	2	22	6	29	0	75	17	117	23
GLASGOW, .	17·2	3·6	253	51	49	1	14	5	2	14	2	15	0	33	8	52	9
EDINBURGH,	15·0	1·8	92	27	23	0	1	0	0	6	1	3	0	8	1	21	10
DUNDEE, . .	24·2	3·9	75	14	19	0	6	0	0	1	0	5	0	10	1	16	0
ABERDEEN, .	11·5	0·7	34	7	10	0	1	0	0	0	1	0	0	9	0	9	0
PAISLEY, . .	20·2	2·6	31	4	9	0	0	0	0	1	1	2	0	7	2	4	4
LEITH, . . .	12·7	0·0	19	3	4	0	0	0	0	0	0	0	0	5	0	5	0
GREENOCK, .	23·6	3·8	31	4	9	0	0	2	0	0	1	2	0	2	3	7	0
PERTH, . . .	22·1	3·2	14	0	7	0	0	0	0	0	0	2	0	1	2	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 14, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
			Deaths from All Causes.	Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	17·0	2·4	533	117	113	2	17	7	4	21	0	23	0	71	26	118	35
GLASGOW, .	17·2	2·8	249	66	40	*2	9	5	3	12	0	9	0	36	13	54	12
EDINBURGH,	17·6	1·8	105	12	27	0	6	1	1	1	0	2	0	13	6	31	14
DUNDEE, . .	21·4	1·3	66	17	19	0	0	0	0	2	0	2	0	11	1	10	2
ABERDEEN, .	14·4	1·0	42	11	13	0	0	0	0	1	0	2	0	6	0	13	3
PAISLEY, . .	16·6	4·6	25	3	3	0	2	1	0	2	0	2	0	0	3	5	3
LEITH, . . .	10·8	0·7	16	2	4	0	0	0	0	1	0	0	0	2	0	3	0
GREENOCK, .	15·3	4·6	20	4	6	0	0	0	0	1	0	5	0	2	1	1	0
PERTH, . . .	15·9	3·2	10	2	1	0	0	0	0	1	0	1	0	1	2	1	0

* One Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 29.

WEEK ENDING SATURDAY, JULY 20, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, July 20, 1901, was 585, being at the annual rate of 18·4 per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest mortality-rate was recorded in Perth, viz., 14·2 per thousand; and the highest in Dundee, viz., 22·6 per thousand.

From the seven most familiar Zymotic Diseases 101 Deaths were registered, being at the rate of 3·2 per thousand, or 0·4 above that for last week. Of these deaths Measles caused 24, of which 17 occurred in Glasgow. Twenty-five Deaths were attributed to Hooping-Cough, of which 10 occurred in Edinburgh; and 45 to Diarrhea, of which 26 occurred in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being an increase of 4 compared with the number for the previous week.

The Mean Temperature was 64°·7, being 1°·4 above that for the week immediately preceding, and 2°·2 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 20, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending July 20, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	956	585	590	82·9	44·0	64·7	0·43
GLASGOW, . . .	12,681	764,423	60·281	9·63	504	274	381	81·2	0·23
EDINBURGH, . .	10,598	317,885	29·995	13·65	127	117	64	79·0	49·7	64·4	0·15
DUNDEE, . . .	4,162	161,346	38·766	12·01	87	70	39	81·5	49·2	65·4	0·05
ABERDEEN, . .	6,795	154,289	22·706	15·69	86	44	51	79·2	55·0	64·8	0·30
PAISLEY, . . .	3,538	79,718	22·532	15·75	43	24	26
LEITH,	2,042	77,670	38·036	12·12	45	25	16	82·9	51·3	65·4	0·20
GREENOCK, . .	1,440	68,237	47·387	10·86	43	22	9	74·2	50·0	63·3	1·67
PERTH,	2,122	32,957	15·531	18·97	21	9	4	80·5	44·0	64·7	0·00
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	1012	588	594	76·9	52·0	62·5	1·18

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 20, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 20, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·4	3·2	585	143	117	0	24	4	0	25	3	45	0	79	26	143	23
GLASGOW, .	18·6	4·1	274	68	42	0	17	4	0	11	3	26	0	44	8	58	11
EDINBURGH,	19·1	2·8	117	19	33	0	1	0	0	10	0	6	0	9	12	39	8
DUNDEE, . .	22·6	4·5	70	21	15	0	6	0	0	3	0	5	0	10	1	17	1
ABERDEEN, .	14·8	1·3	44	15	8	0	0	0	0	0	0	4	0	6	1	12	1
PAISLEY, . .	15·7	2·0	24	5	6	0	0	0	0	0	0	3	0	2	0	6	2
LEITH, . . .	16·7	0·7	25	7	5	0	0	0	0	1	0	0	0	4	3	6	0
GREENOCK, .	16·8	0·8	22	7	4	0	0	0	0	0	0	1	0	4	1	1	0
PERTH, . . .	14·2	0·0	9	1	4	0	0	0	0	0	0	0	0	0	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 21, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·8	3·3	588	133	102	2	18	5	6	22	11	38	1	79	20	114	29
GLASGOW, .	21·9	4·6	317	77	49	2	10	2	3	16	10	23	1	55	9	55	12
EDINBURGH,	16·5	2·9	98	20	15	0	6	2	3	1	1	4	0	9	6	31	8
DUNDEE, . .	14·9	1·6	46	10	9	0	1	0	0	0	0	4	0	6	0	5	0
ABERDEEN, .	16·9	2·1	49	14	12	0	1	0	0	2	0	3	0	4	1	6	1
PAISLEY, . .	15·9	3·3	24	8	3	0	0	1	0	2	0	2	0	1	1	2	3
LEITH, . . .	15·6	0·7	23	3	5	0	0	0	0	0	0	1	0	2	1	9	1
GREENOCK, .	17·6	0·8	23	0	6	0	0	0	0	1	0	0	0	2	2	5	4
PERTH, . . .	12·7	1·6	8	1	3	0	0	0	0	0	0	1	0	0	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 30.

WEEK ENDING SATURDAY, JULY 27, 1901.

NOTE.—The estimates of population given below are founded upon the numbers in the Returns furnished by the local Registrars after the recent Census, with the addition of the Shipping population. These numbers may be accepted as accurate enough for all practical purposes, and will be employed until the revision of the Census details, now proceeding, has been completed, and the results thereof are available.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, July 27, 1901, was 567, being at the annual rate of 17·8 per thousand of the estimated population. This rate is 0·5 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 14·2 per thousand; and the highest in Greenock, viz., 22·9 per thousand.

From the seven most familiar Zymotic Diseases 134 Deaths were registered, being at the rate of 4·2 per thousand, or 1·0 above that for last week. Of these deaths Measles caused 16, of which 11 occurred in Glasgow. Ninety-nine Deaths were due to Diarrhœa, of which 56 occurred in Glasgow, 11 each in Edinburgh and Dundee, 8 in Leith, 5 each in Paisley and Greenock, 2 in Perth, and 1 in Aberdeen.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 56, being a decrease of 23 compared with the number for the previous week.

The Mean Temperature was 62°·1, being 2°·6 below that for the week immediately preceding, but 0°·4 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 27, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending July 27, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	988	567	372	79·2	43·0	62·1	0·88
GLASGOW, . . .	12,681	764,423	60·281	9·63	520	271	68	75·0	43·0	60·0	1·21
EDINBURGH, . .	10,598	317,885	29·995	13·65	169	104	119	71·1	54·0	60·9	0·60
DUNDEE, . . .	4,162	161,346	38·766	12·01	67	47	112	72·9	54·2	63·4	0·76
ABERDEEN, . .	6,795	154,289	22·706	15·69	78	42	33	74·8	52·0	61·3	1·28
PAISLEY, . . .	3,538	79,718	22·532	15·75	47	25	14	79·2	51·3	63·9	0·68
LEITH,	2,042	77,670	38·036	12·12	44	34	21	73·9	53·9	62·5	0·62
GREENOCK, . .	1,440	68,237	47·387	10·86	46	30	3
PERTH,	2,122	32,957	15·531	18·97	17	14	2	78·5	53·0	63·0	1·02
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	996	541	394	77·2	45·0	61·7	0·76

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 27, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	17·8	4·2	567	165	103	0	16	6	2	9	2	99	0	56	28	122	24	3		
GLASGOW, .	18·4	5·2	271	99	32	0	11	4	1	5	0	56	0	29	17	45	12	3		
EDINBURGH,	17·0	2·6	104	21	22	0	0	1	1	3	0	11	0	5	5	37	6	0		
DUNDEE, . .	15·1	5·2	47	8	14	0	5	0	0	0	0	11	0	8	1	14	1	0		
ABERDEEN, .	14·2	0·7	42	5	14	0	0	0	0	0	1	1	0	5	2	8	0	0		
PAISLEY, . .	16·3	3·9	25	7	4	0	0	0	0	0	1	5	0	3	0	7	0	0		
LEITH, . . .	22·8	5·4	34	15	9	0	0	0	0	0	0	8	0	2	1	6	2	0		
GREENOCK, .	22·9	5·3	30	8	3	0	0	1	0	1	0	5	0	3	2	1	3	0		
PERTH, . . .	22·1	3·2	14	2	5	0	0	0	0	0	0	2	0	1	0	4	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 28, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	17·3	2·8	541	124	113	2	24	9	1	9	6	36	2	65	22	126	31	3		
GLASGOW, .	18·6	4·1	270	67	39	2	18	5	0	8	3	23	1	34	12	57	19	3		
EDINBURGH,	17·8	1·2	106	20	27	0	5	0	0	0	0	2	1	9	5	33	9	0		
DUNDEE, . .	13·6	1·3	42	7	7	0	0	0	0	0	2	2	0	4	3	11	1	0		
ABERDEEN, .	17·2	3·1	50	11	19	0	0	1	0	1	1	6	0	8	0	13	1	0		
PAISLEY, . .	19·3	2·7	29	6	10	0	1	3	0	0	0	0	0	3	0	6	0	0		
LEITH, . . .	10·8	1·4	16	7	3	0	0	0	0	0	0	2	0	3	2	3	0	0		
GREENOCK, .	13·8	0·8	18	4	1	0	0	0	1	0	0	0	0	4	0	3	0	0		
PERTH, . . .	15·9	1·6	10	2	7	0	0	0	0	0	0	1	0	0	0	0	1	0		

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 3, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, August 3, 1901, was 630, the mortality having thus been at the annual rate of 19·8 per thousand of the estimated population. This rate is 2·8 above that for the corresponding week of last year, and 2·0 above that for the previous week of the present year.

The lowest Death-rate was recorded in Paisley, viz., 14·4 per thousand; and the highest in Dundee, viz., 22·9 per thousand.

From the seven most familiar Zymotic Diseases 175 Deaths were registered, being at the rate of 5·5 per thousand, or 1·3 above that for last week. Diarrhœa was the cause of 128 of these Deaths (being an increase of 29 compared with the number for the previous week), Measles of 13, and Hooping-cough of 28.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 65, being 9 above the number for last week.

The Mean Temperature was 61°·9, being 0°·2 below that for the week immediately preceding, but 3°·3 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 3, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Aug. 3, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	914	630	257	80·0	38·5	61·9	0·07
GLASGOW, . . .	12,681	764,423	60·281	9·63	456	314	65	74·5	38·5	56·4	0·05
EDINBURGH, . .	10,598	317,885	29·995	13·65	131	106	109	76·5	49·4	62·1	0·00
DUNDEE, . . .	4,162	161,346	38·766	12·01	90	71	15	78·3	51·4	63·3	0·00
ABERDEEN, . .	6,795	154,289	22·706	15·69	96	47	26	80·0	50·2	62·5	0·09
PAISLEY, . . .	3,538	79,718	22·532	15·75	41	22	11	73·7	51·1	62·6	0·07
LEITH,	2,042	77,670	38·036	12·12	54	28	22	79·7	52·0	64·8	0·07
GREENOCK, . .	1,440	68,237	47·387	10·86	37	29	4	72·0	51·0	61·2	0·31
PERTH,	2,122	32,957	15·531	18·97	9	13	5	77·5	48·0	62·6	0·01
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	1011	533	260	71·2	45·0	58·6	0·67

Week ending Saturday, AUGUST 3, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 3, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·8	5·5	630	232	112	*1	13	2	1	28	2	128	0	65	22	107	34	1
GLASGOW, .	21·4	6·8	314	121	41	0	7	1	0	19	0	73	0	33	9	49	15	1
EDINBURGH,	17·3	3·4	106	23	32	0	2	1	0	5	1	12	0	7	4	28	8	0
DUNDEE, . .	22·9	7·4	71	32	13	*1	3	0	0	3	1	15	0	8	1	8	5	0
ABERDEEN, .	15·8	1·3	47	14	11	0	0	0	0	0	0	4	0	5	3	7	4	0
PAISLEY, . .	14·4	2·6	22	6	4	0	0	0	0	1	0	3	0	5	1	5	1	0
LEITH, . . .	18·7	6·7	28	14	3	0	0	0	1	0	0	9	0	2	3	8	0	0
GREENOCK, .	22·1	6·9	29	16	3	0	1	0	0	0	0	8	0	5	0	0	1	0
PERTH, . . .	20·5	6·3	13	6	5	0	0	0	0	0	0	4	0	0	1	2	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 4, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·0	3·5	533	141	83	2	19	0	5	12	11	60	2	71	18	102	30	7
GLASGOW, .	19·3	4·8	279	87	35	2	14	0	1	9	6	37	1	37	7	57	18	6
EDINBURGH,	14·8	2·2	88	14	22	0	4	0	1	1	4	3	1	10	5	25	3	0
DUNDEE, . .	13·9	1·6	43	11	5	0	0	0	0	0	0	5	0	7	1	12	0	0
ABERDEEN, .	15·8	1·4	46	10	10	0	0	0	1	0	0	3	0	9	3	5	2	0
PAISLEY, . .	19·3	5·3	29	9	3	0	0	0	1	0	0	7	0	4	0	1	3	0
LEITH, . . .	16·3	3·4	24	6	4	0	1	0	1	0	1	2	0	1	1	1	2	1
GREENOCK, .	12·3	3·1	16	2	2	0	0	0	0	2	0	2	0	1	1	0	2	0
PERTH, . . .	12·7	1·6	8	2	2	0	0	0	0	0	0	1	0	2	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 10, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, August 10, 1901, was 613, being at the annual rate of 19·2 per thousand of the estimated population. This rate is 2·4 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·5 per thousand; and the highest in Perth, viz., 30·0 per thousand.

From the seven most familiar Zymotic Diseases 168 Deaths were registered, being at the rate of 5·3 per thousand, or 0·2 below that for last week. Of these Deaths, 129, or 76·8 per cent. were due to Diarrhœa, 13 to Measles, and 12 to Hooping-cough.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 43, being 22 below the number for the previous week.

The Mean Temperature was 59°·4, being 2°·5 below that for the week immediately preceding, but 4°·9 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 10, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Aug. 10, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	910	613	241	76·1	38·0	59·4	1·56
GLASGOW, . . .	12,681	764,423	60·281	9·63	444	306	103	71·8	38·0	55·1	0·70
EDINBURGH, . .	10,598	317,885	29·995	13·65	154	108	64	71·7	49·5	58·7	2·00
DUNDEE, . . .	4,162	161,346	38·766	12·01	99	64	10	76·1	50·3	61·2	1·43
ABERDEEN, . .	6,795	154,289	22·706	15·69	80	40	22	71·4	47·1	59·9	1·21
PAISLEY, . . .	3,538	79,718	22·532	15·75	27	23	23	70·3	50·2	60·3	0·96
LEITH,	2,042	77,670	38·036	12·12	46	27	8	73·9	51·8	61·0	2·13
GREENOCK, . .	1,440	68,237	47·387	10·86	45	26	8	68·0	50·2	58·5	1·98
PERTH,	2,122	32,957	15·531	18·97	15	19	3	72·0	50·0	60·7	2·04
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	939	526	244	69·1	38·5	54·5	1·71

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 17, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, August 17, 1901, was 606, showing an annual mortality rate of 19·0 per thousand of the estimated population.. This rate is 2·3 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest death-rate occurred in Leith, viz., 12·7 per thousand; and the highest in Glasgow, viz., 20·8 per thousand.

From the seven most familiar Zymotic Diseases 150 Deaths were registered, being at the rate of 4·7 per thousand persons, or 0·6 below that for last week. Of these Deaths, 111, or 74 per cent., were due to Diarrhoea, 11 to Measles (all of which occurred in Glasgow), and 18 to Hooping-cough.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 51, being 8 above the number for the previous week.

The Mean Temperature was 58°·8, being 0°·6 below that for the week immediately preceding, and 2°·9 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 17, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Aug. 17, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	892	606	195	71·5	34·0	58·8	1·16
GLASGOW, . . .	12,681	764,423	60·281	9·63	414	306	91	71·2	48·2	59·5	0·87
EDINBURGH, . .	10,598	317,885	29·995	13·65	165	112	38	68·4	48·2	58·7	0·39
DUNDEE, . . .	4,162	161,346	38·766	12·01	85	56	8	71·3	45·2	58·9	1·35
ABERDEEN, . .	6,795	154,289	22·706	15·69	85	49	15	67·0	42·0	58·8	1·02
PAISLEY, . . .	3,538	79,718	22·532	15·75	51	30	27	71·5	48·9	59·5	1·52
LEITH,	2,042	77,670	38·036	12·12	35	19	3	71·4	49·3	60·0	0·58
GREENOCK, . .	1,440	68,237	47·387	10·86	43	25	9	66·5	34·0	57·1	2·42
PERTH,	2,122	32,957	15·531	18·97	14	9	4	70·0	42·0	57·9	1·14
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	948	523	182	83·3	42·0	61·7	0·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 24, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, August 24, 1901, was 566, being at the rate of 17·8 deaths per thousand persons of the estimated population per annum. This rate is 0·1 above that for the corresponding week of last year, but 1·2 below that for the previous week of the present year.

The lowest mortality-rate was recorded in Paisley, viz., 14·4 per thousand; and the highest in Dundee, viz., 20·6 per thousand.

From the seven most familiar Zymotic Diseases 124 Deaths were registered, being at the rate of 3·9 per thousand persons, or 0·8 below that for last week. Diarrhœa caused 92 Deaths, or 72·6 per cent. of the total from these diseases. In Dundee 31·3 per cent. of all the Deaths were due to this cause. Twelve Deaths were attributed to Measles, 9 to Fever, and 8 to Hooping-Cough.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 50, being 1 less than the number for the previous week.

The Mean Temperature was 59·4, being 0·6 above that for the week immediately preceding, and 4·0 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 24, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Proximity in Yards.	Registered during the Week ending Aug. 24, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	956	566	191	76·6	40·0	59·4	0·18
GLASGOW, . . .	12,681	764,423	60·281	9·63	471	271	104	74·2	42·5	58·2	1·13
EDINBURGH, . .	10,598	317,885	29·995	13·65	148	106	30	74·5	47·3	59·8	0·00
DUNDEE, . . .	4,162	161,346	38·766	12·01	78	64	11	75·6	44·9	60·1	0·00
ABERDEEN, . .	6,795	154,289	22·706	15·69	108	43	20	74·5	42·0	57·2	0·00
PAISLEY, . . .	3,538	79,718	22·532	15·75	52	22	6	74·1	44·8	60·5	0·00
LEITH,	2,042	77,670	38·036	12·12	47	26	7	76·6	48·3	61·5	0·14
GREENOCK, . .	1,440	68,237	47·387	10·86	37	24	10	71·0	43·5	59·3	0·00
PERTH,	2,122	32,957	15·531	18·97	15	10	3	75·0	40·0	58·9	0·16
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	909	554	166	67·0	43·0	55·4	1·85

Week ending Saturday, AUGUST 24, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	3·9	566	160	126	0	12	3	0	8	9	92	1	50	28	118	21	3
GLASGOW, .	18·4	4·4	271	81	46	0	8	1	0	6	4	45	0	28	13	60	11	2
EDINBURGH,	17·3	2·6	106	26	25	0	2	0	0	1	2	11	1	9	4	24	5	1
DUNDEE, . .	20·6	7·1	64	22	18	0	1	0	0	0	1	20	0	6	2	9	0	0
ABERDEEN, .	14·5	2·7	43	14	14	0	0	1	0	1	1	5	0	2	3	11	3	0
PAISLEY, . .	14·4	0·7	22	3	8	0	1	0	0	0	0	0	0	2	3	3	2	0
LEITH, . . .	17·4	3·3	26	6	7	0	0	0	0	0	0	5	0	2	2	5	0	0
GREENOCK, .	18·3	4·6	24	6	5	0	0	1	0	0	1	4	0	1	1	4	1	0
PERTH, . . .	15·8	3·2	10	2	3	0	0	0	0	0	0	2	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 25, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·7	3·3	554	147	103	0	9	5	6	23	8	52	1	81	27	140	17	2
GLASGOW, .	17·3	3·2	251	60	39	0	4	3	3	15	4	17	1	45	14	65	10	2
EDINBURGH,	16·3	1·7	97	24	19	0	4	1	0	0	1	4	0	5	8	35	5	0
DUNDEE, . .	20·4	2·3	63	19	10	0	0	0	0	3	0	4	0	7	2	12	0	0
ABERDEEN, .	16·2	2·1	47	12	18	0	0	0	0	0	0	6	0	10	0	11	0	0
PAISLEY, . .	23·2	6·6	35	8	6	0	0	1	1	0	1	7	0	7	0	6	1	0
LEITH, . . .	16·9	4·7	25	9	5	0	1	0	0	1	0	5	0	2	1	3	0	0
GREENOCK, .	22·3	10·7	29	14	4	0	0	0	2	4	1	7	0	5	2	5	1	0
PERTH, . . .	11·1	4·8	7	1	2	0	0	0	0	0	1	2	0	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, AUGUST 31, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, August 31, 1901, was 555, being at the annual rate of 17·4 per thousand of the estimated population. This rate is the same as that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 7·9 per thousand; and the highest in Paisley, viz., 22·8 per thousand.

From the seven most familiar Zymotic Diseases 119 Deaths were registered, being at the rate of 3·7 per thousand persons, or 0·2 below that for last week. Of these Deaths, 81 were due to Diarrhoea, 12 to Measles (all of which occurred in Glasgow), and 12 to Hooping-Cough.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 60, being 10 above the number for the previous week.

The Mean Temperature was 56°·2, being 3°·2 below that for the week immediately preceding, but 0°·6 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 31, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Aug. 31, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	916	555	217	77·2	43·0	56·2	0·73
GLASGOW, . . .	12,681	764,423	60·281	9·63	463	257	124	70·5	50·5	57·1	0·00
EDINBURGH, . .	10,598	317,885	29·995	13·65	143	115	37	73·7	44·6	55·5	1·20
DUNDEE, . . .	4,162	161,346	38·766	12·01	88	56	19	75·2	45·7	56·0	0·93
ABERDEEN, . .	6,795	154,289	22·706	15·69	91	43	15	72·5	44·2	55·6	0·42
PAISLEY, . . .	3,538	79,718	22·532	15·75	35	35	2	73·9	45·3	56·9	0·29
LEITH,	2,042	77,670	38·036	12·12	44	22	6	77·2	46·4	57·4	0·95
GREENOCK, . .	1,440	68,237	47·387	10·86	37	22	8	69·8	44·0	55·3	1·23
PERTH,	2,122	32,957	15·531	18·97	15	5	6	74·0	43·0	55·9	0·85
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	936	543	226	72·0	41·0	55·6	0·37

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, AUGUST 31, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
				Deaths of		Deaths from														
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	17·4	3·7	555	149	108	0	12	1	2	12	11	81	2	60	31	135	20	5		
GLASGOW, .	17·5	3·9	257	71	45	0	12	1	1	3	7	34	1	30	18	64	12	5		
EDINBURGH,	18·8	3·6	115	26	26	0	0	0	1	3	2	16	0	10	4	35	3	0		
DUNDEE, . .	18·0	5·2	56	18	12	0	0	0	0	2	0	14	0	6	2	8	0	0		
ABERDEEN, .	14·5	1·3	43	10	14	0	0	0	0	1	0	3	0	4	3	7	2	0		
PAISLEY, . .	22·8	6·5	35	10	4	0	0	0	0	2	2	6	1	5	2	11	1	0		
LEITH, . . .	14·7	2·7	22	8	3	0	0	0	0	0	0	4	0	3	1	5	1	0		
GREENOCK, .	16·8	3·0	22	5	3	0	0	0	0	1	0	3	0	2	1	3	1	0		
PERTH, . . .	7·9	1·6	5	1	1	0	0	0	0	0	0	1	0	0	0	2	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 1, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																	
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	17·4	3·2	543	132	133	0	9	5	3	25	5	54	4	54	18	126	19	6			
GLASGOW, .	17·3	3·7	250	62	52	0	3	3	2	16	3	27	3	34	11	60	13	5			
EDINBURGH,	15·6	2·2	93	16	24	0	5	2	0	1	1	4	0	5	2	30	3	0			
DUNDEE, . .	14·2	2·3	44	15	12	0	0	0	0	1	0	6	0	3	1	9	0	0			
ABERDEEN, .	23·4	2·4	68	16	23	0	1	0	0	1	0	5	0	6	4	14	0	1			
PAISLEY, . .	22·6	4·6	34	9	6	0	0	0	0	2	1	4	1	1	0	6	2	0			
LEITH, . . .	13·6	2·0	20	3	5	0	0	0	0	1	0	2	0	2	0	1	0	0			
GREENOCK, .	17·7	7·7	23	8	8	0	0	0	1	3	0	6	0	1	0	4	1	0			
PERTH, . . .	17·5	0·0	11	3	3	0	0	0	0	0	0	0	0	2	0	2	0	0			

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 7, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, September 7, 1901, was 568, being at the annual rate of 17·8 per thousand of the estimated population. This rate is 0·6 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 16·2 per thousand; and the highest in Leith, viz., 23·4 per thousand.

From the seven most familiar Zymotic Diseases 111 Deaths were registered, being at the rate of 3·5 per thousand, or 0·2 below that for last week. Of these Deaths, 77 were due to Diarrhoea, 13 to Hooping-Cough, and 8 to Measles.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 59, being 1 below the number for the previous week.

The Mean Temperature was 53·1, being 3·1 below that for the week immediately preceding, and 1·7 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 7, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Sept. 7, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	984	568	328	68·0	33·0	53·1	0·20
GLASGOW, . . .	12,681	764,423	60·281	9·63	495	251	174	67·2	38·5	53·7	0·12
EDINBURGH, . .	10,598	317,885	29·995	13·65	160	102	62	65·4	43·2	52·2	0·16
DUNDEE, . . .	4,162	161,346	38·766	12·01	89	64	22	62·0	38·9	52·8	0·21
ABERDEEN, . .	6,795	154,289	22·706	15·69	90	48	29	63·0	39·0	53·8	0·00
PAISLEY, . . .	3,538	79,718	22·532	15·75	36	26	7	68·0	40·6	54·0	0·14
LEITH,	2,042	77,670	38·036	12·12	56	35	9	67·6	44·4	54·2	0·23
GREENOCK, . .	1,440	68,237	47·387	10·86	45	29	18
PERTH,	2,122	32,957	15·531	18·97	13	13	7	62·0	33·0	51·0	0·55
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	909	540	315	68·9	32·0	54·8	0·54

Week ending Saturday, SEPTEMBER 7, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 7, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17·8	3·5	568	135	130	0	8	5	2	13	6	77	1	59	21	123	21
GLASGOW, .	17·1	3·1	251	54	48	0	6	1	1	7	4	26	0	31	10	56	11
EDINBURGH,	16·7	3·4	102	25	21	0	0	0	1	2	1	17	1	7	1	30	3
DUNDEE, . .	20·6	3·5	64	14	19	0	2	1	0	1	0	7	0	12	2	8	4
ABERDEEN, .	16·2	2·0	48	18	13	0	0	0	0	0	0	6	0	4	3	7	1
PAISLEY, . .	17·0	5·2	26	4	7	0	0	1	0	1	1	5	0	1	2	9	0
LEITH, . . .	23·4	6·7	35	11	8	0	0	0	0	1	0	9	0	1	2	5	0
GREENOCK, .	22·1	6·1	29	7	9	0	0	2	0	1	0	5	0	1	1	5	1
PERTH, . . .	20·5	3·2	13	2	5	0	0	0	0	0	0	2	0	2	0	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 8, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17·2	2·6	540	135	104	0	7	4	5	21	*4	42	2	77	33	115	25
GLASGOW, .	17·7	2·6	256	64	36	0	3	3	2	11	*2	17	1	43	17	45	13
EDINBURGH,	14·8	2·4	88	20	24	0	2	1	1	1	0	9	0	12	3	31	5
DUNDEE, . .	16·5	2·9	51	15	12	0	1	0	1	1	0	6	1	7	4	6	1
ABERDEEN, .	21·0	3·4	61	22	14	0	1	0	0	3	0	6	0	11	3	16	1
PAISLEY, . .	14·6	2·7	22	2	4	0	0	0	0	0	2	2	0	0	1	6	2
LEITH, . . .	15·6	1·4	23	5	5	0	0	0	0	0	0	2	0	2	1	5	0
GREENOCK, .	20·7	4·6	27	4	6	0	0	0	1	5	0	0	0	2	3	5	1
PERTH, . . .	19·1	0·0	12	3	3	0	0	0	0	0	0	0	0	0	1	1	2

* One Bubonic Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 14, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, September 14, 1901, was 556, being at the annual rate of 17·5 per thousand of the estimated population. This rate is 1·1 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 14·2 per thousand; and the highest in Leith, viz., 24·8 per thousand.

From the seven most familiar Zymotic Diseases 74 Deaths were registered, being at the rate of 2·3 per thousand, or 1·2 below that for last week. Of these Deaths, 38 were due to Diarrhœa, 12 to Fevers, 10 to Hooping-Cough, and 8 to Measles.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being 20 above the number for the previous week.

The Mean Temperature was 57°·8, being 4°·9 above that for the week immediately preceding, and 0°·8 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 14, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Sept. 14, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	941	556	247	70·8	44·0	57·8	0·31
GLASGOW, . . .	12,681	764,423	60·281	9·63	464	262	130	70·8	45·8	58·8	0·62
EDINBURGH, . .	10,598	317,885	29·995	13·65	151	98	51	66·7	48·7	57·2	0·24
DUNDEE, . . .	4,162	161,346	38·766	12·01	82	55	20	69·4	49·2	57·4	0·14
ABERDEEN, . .	6,795	154,289	22·706	15·69	90	47	20	67·0	47·6	56·8	0·41
PAISLEY, . . .	3,538	79,718	22·532	15·75	48	23	8	70·4	47·1	59·4	0·29
LEITH,	2,042	77,670	38·036	12·12	47	37	9	70·3	52·0	59·1	0·14
GREENOCK, . .	1,440	68,237	47·387	10·86	44	25	6	67·0	48·2	57·6	0·39
PERTH,	2,122	32,957	15·531	18·97	15	9	3	67·5	44·0	56·5	0·23
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	943	584	245	77·5	38·0	57·0	0·13

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, SEPTEMBER 14, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 14, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.5	2.3	556	133	121	0	8	3	3	10	12	38	0	79	22	125	17
GLASGOW, .	17.8	2.4	262	66	43	0	6	2	3	1	8	15	0	41	9	59	8
EDINBURGH,	16.0	1.6	98	22	21	0	0	0	0	3	1	6	0	11	6	27	4
DUNDEE, . .	17.7	4.2	55	18	8	0	0	0	0	3	2	8	0	6	1	12	2
ABERDEEN, .	15.8	1.3	47	13	16	0	1	0	0	0	0	3	0	5	2	5	0
PAISLEY, . .	15.0	2.0	23	3	7	0	0	0	0	1	1	1	0	5	0	4	0
LEITH, . . .	24.8	4.7	37	8	12	0	1	0	0	2	0	4	0	5	4	9	1
GREENOCK, .	19.1	1.5	25	3	10	0	0	1	0	0	0	1	0	6	0	6	2
PERTH, . . .	14.2	0.0	9	0	4	0	0	0	0	0	0	0	0	0	0	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 15, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.6	3.1	584	146	115	1	2	7	6	21	7	54	2	68	24	126	29
GLASGOW, .	18.9	3.1	274	63	53	1	0	6	0	16	*1	21	1	39	12	61	9
EDINBURGH,	18.5	2.7	110	27	31	0	1	0	2	1	1	11	0	10	1	29	13
DUNDEE, . .	16.5	2.9	51	14	9	0	1	0	1	0	0	7	1	3	3	6	1
ABERDEEN, .	18.6	2.8	54	20	7	0	0	0	2	1	1	4	0	8	3	10	3
PAISLEY, . .	17.9	4.0	27	4	5	0	0	1	0	1	2	2	0	2	1	4	1
LEITH, . . .	15.6	3.4	23	8	3	0	0	0	0	0	0	5	0	3	1	6	0
GREENOCK, .	20.0	6.1	26	9	3	0	0	0	0	2	2	4	0	2	2	5	2
PERTH, . . .	30.3	1.6	19	1	4	0	0	0	1	0	0	0	0	1	1	5	0

* Bubonic Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 21, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, September 21, 1901, was 517, being at the annual rate of 16·2 per thousand of the estimated population. This rate is 2·4 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 7·9 per thousand; and the highest in Greenock, viz., 21·3 per thousand.

From the seven most familiar Zymotic Diseases 83 Deaths were registered, being at the rate of 2·6 per thousand of the population, or 0·3 above that for last week. Of these Deaths, 53 were due to Diarrhœa, and 13 to Hooping-Cough. Diarrhœa caused 15·4 per cent. of the Deaths in Leith, and 17·1 per cent. of those in Dundee.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 78, being a decrease of 1 compared with the number for the previous week.

The Mean Temperature was 54°·4, being 3°·4 below that for the week immediately preceding, and 0°·3 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 21, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Sept. 21, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	899	517	220	65·6	36·0	54·4	0·70
GLASGOW, . . .	12,681	764,423	60·281	9·63	452	244	114	63·8	40·0	55·2	0·84
EDINBURGH, . .	10,598	317,885	29·995	13·65	142	94	47	63·6	45·0	53·8	0·15
DUNDEE, . . .	4,162	161,346	38·766	12·01	80	35	10	64·2	38·6	53·4	0·40
ABERDEEN, . .	6,795	154,289	22·706	15·69	86	62	26	62·0	40·2	52·8	0·81
PAISLEY, . . .	3,538	79,718	22·532	15·75	48	23	4	64·8	42·2	55·5	1·16
LEITH,	2,042	77,670	38·036	12·12	47	26	8	65·6	47·0	55·9	0·16
GREENOCK, . .	1,440	68,237	47·387	10·86	35	28	11	62·5	45·0	55·3	1·76
PERTH,	2,122	32,957	15·531	18·97	9	5	0	64·0	36·0	53·0	0·31
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	981	584	239	71·0	36·0	54·7	0·14

Week ending Saturday, SEPTEMBER 21, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.2	2.6	517	121	106	0	5	2	4	13	6	53	3	78	20	116	24	1
GLASGOW, .	16.6	2.7	244	60	41	0	2	0	2	7	5	24	2	39	7	56	11	1
EDINBURGH,	15.4	2.6	94	22	18	0	2	0	1	3	0	10	1	17	3	25	5	0
DUNDEE, . .	11.3	2.6	35	6	11	0	1	0	0	1	0	6	0	5	3	5	2	0
ABERDEEN, .	20.9	1.7	62	17	17	0	0	0	0	0	0	5	0	10	1	13	0	0
PAISLEY, . .	15.0	3.3	23	7	4	0	0	1	0	0	1	3	0	3	0	3	2	0
LEITH, . . .	17.4	4.0	26	5	6	0	0	0	0	2	0	4	0	3	0	8	1	0
GREENOCK, .	21.3	1.5	28	4	8	0	0	1	0	0	0	1	0	1	6	3	3	0
PERTH, . . .	7.9	1.6	5	0	1	0	0	0	1	0	0	0	0	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 22, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.6	3.6	584	148	107	3	5	4	11	20	*7	62	6	95	30	121	26	5
GLASGOW, .	19.0	3.7	276	83	40	3	2	3	0	16	*3	26	2	51	14	58	11	5
EDINBURGH,	17.6	3.0	105	16	26	0	2	0	3	1	1	11	0	9	7	30	7	0
DUNDEE, . .	19.4	3.2	60	14	14	0	0	0	2	1	0	7	0	16	1	9	1	0
ABERDEEN, .	19.3	3.8	56	16	13	0	0	0	1	1	0	9	3	10	1	8	1	0
PAISLEY, . .	17.3	6.0	26	6	4	0	0	1	3	0	3	2	1	5	2	6	0	0
LEITH, . . .	16.9	3.4	25	8	3	0	1	0	0	0	0	4	0	1	4	4	3	0
GREENOCK, .	20.0	4.6	26	5	5	0	0	0	2	1	0	3	0	1	1	2	3	0
PERTH, . . .	15.9	0.0	10	0	2	0	0	0	0	0	0	0	0	2	0	4	0	0

* One Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 28, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, September 28, 1901, was 509, being at the annual rate of 16·0 per thousand of the estimated population. This rate is 2·6 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest Death-rate was recorded in Paisley, viz., 12·4 per thousand; and the highest in Dundee, viz., 18·7 per thousand.

From the seven most familiar Zymotic Diseases 73 Deaths were registered, being at the rate of 2·3 per thousand of the population, or 0·3 below that for last week. Of these Deaths, 42 were due to Diarrhoea (being a decrease of 11 compared with the number for the previous week), and 12 to Measles, of which 11 occurred in Glasgow and 1 in Greenock.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 100, being 22 above the number for the previous week.

The Mean Temperature was 57°·7, being 3°·3 above that for the week immediately preceding, and 6°·0 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 28, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Sept. 28, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	885	509	269	70·2	46·0	57·7	0·46
GLASGOW, . . .	12,681	764,423	60·281	9·63	429	232	153	70·2	47·0	58·4	0·72
EDINBURGH, . .	10,598	317,885	29·995	13·65	159	101	44	68·1	49·4	58·5	0·25
DUNDEE, . . .	4,162	161,346	38·766	12·01	89	58	10	65·9	47·2	56·8	0·56
ABERDEEN, . .	6,795	154,289	22·706	15·69	84	44	25	62·2	47·0	56·3	0·12
PAISLEY, . . .	3,538	79,718	22·532	15·75	41	19	16
LEITH,	2,042	77,670	38·036	12·12	42	21	7	69·1	48·9	59·4	0·39
GREENOCK, . .	1,440	68,237	47·387	10·86	32	24	11
PERTH,	2,122	32,957	15·531	18·97	9	10	3	66·0	46·0	57·1	0·75
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	875	584	277	65·9	33·0	51·7	1·83

Week ending Saturday, SEPTEMBER 28, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.0	2.3	509	123	112	0	12	4	1	7	7	42	1	100	19	110	12	2
GLASGOW, .	15.8	2.9	232	61	45	0	11	3	1	3	2	22	0	51	11	51	6	2
EDINBURGH,	16.5	1.5	101	19	27	0	0	1	0	3	0	5	0	16	3	26	6	0
DUNDEE, . .	18.7	1.0	58	9	14	0	0	0	0	0	1	2	0	13	3	10	0	0
ABERDEEN, .	14.8	2.4	44	14	12	0	0	0	0	0	0	7	1	5	0	6	0	0
PAISLEY, . .	12.4	2.6	19	6	2	0	0	0	0	1	3	0	0	5	0	7	0	0
LEITH, . . .	14.1	2.7	21	8	6	0	0	0	0	0	0	4	0	5	1	5	0	0
GREENOCK, .	18.3	3.0	24	5	4	0	1	0	0	0	1	2	0	3	1	4	0	0
PERTH, . . .	15.8	0.0	10	1	2	0	0	0	0	0	0	0	0	2	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 29, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.6	2.9	584	161	104	0	5	6	7	12	*12	49	2	98	22	125	31	4
GLASGOW, .	18.5	3.2	268	77	34	0	3	6	4	5	*7	21	1	47	15	52	15	4
EDINBURGH,	19.3	2.9	115	29	30	0	1	0	1	0	1	14	0	15	4	33	10	0
DUNDEE, . .	17.8	1.9	55	14	15	0	0	0	0	3	0	3	0	11	2	13	1	0
ABERDEEN, :	20.6	1.7	60	16	13	0	0	0	0	1	0	4	1	13	0	15	4	0
PAISLEY, . .	17.3	3.3	26	10	5	0	1	0	0	0	2	2	0	4	0	3	0	0
LEITH, . . .	17.6	4.1	26	7	2	0	0	0	1	0	1	4	0	5	0	4	1	0
GREENOCK, .	16.9	3.1	22	3	1	0	0	0	1	2	1	0	0	1	1	3	0	0
PERTH, . . .	19.1	3.2	12	5	4	0	0	0	0	1	0	1	0	2	0	2	0	0

* Three Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 40.

WEEK ENDING SATURDAY, OCTOBER 5, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, October 5, 1901, was 463, giving an annual mortality rate of 14·5 per thousand of the estimated population. This rate is 4·5 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The Mortality for the week was highest in Dundee, viz., 16·4 per thousand; and lowest in Greenock, viz., 9·1 per thousand.

From the seven principal Zymotic Diseases 82 Deaths were registered, being at the rate of 2·6 per thousand, or 0·3 above that for last week. Of these Deaths, 42 were due to Diarrhoea (being the same as the number for the preceding week), and 14 to Measles, 12 of which occurred in Glasgow.

To Bronchitis, Pneumonia, and Pleurisy 76 Deaths were attributed, being 24 less than the number for the previous week.

The Mean Temperature was 53°·5, being 4°·2 below that for the week immediately preceding, but 5°·6 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 5, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Oct. 5, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	926	463	229	66·8	38·0	53·5	1·08
GLASGOW, . . .	12,681	764,423	60·281	9·63	473	219	108	65·0	43·8	53·6	1·77
EDINBURGH, . .	10,598	317,885	29·995	13·65	149	87	59	63·6	43·3	54·3	0·48
DUNDEE, . . .	4,162	161,346	38·766	12·01	79	51	15	63·5	41·4	52·9	0·66
ABERDEEN, . .	6,795	154,289	22·706	15·69	85	48	17	63·0	40·2	52·4	0·91
PAISLEY, . . .	3,538	79,718	22·532	15·75	48	24	11	66·8	43·9	54·3	1·62
LEITH,	2,042	77,670	38·036	12·12	38	14	10	64·1	45·5	55·4	0·51
GREENOCK, . .	1,440	68,237	47·387	10·86	39	12	9	64·0	44·0	53·6	2·02
PERTH,	2,122	32,957	15·531	18·97	15	8	0	63·0	38·0	51·3	0·63
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	968	595	244	59·0	28·0	47·9	1·63

Week ending Saturday, OCTOBER 5, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 5, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.5	2.6	463	140	94	0	14	7	6	7	6	42	1	76	16	99	19
GLASGOW, .	14.9	3.0	219	59	32	0	12	5	3	5	3	16	1	30	9	56	8
EDINBURGH,	14.2	1.1	87	24	21	0	0	1	3	2	1	0	0	12	5	26	7
DUNDEE, . .	16.4	3.2	51	17	11	0	1	0	0	0	0	9	0	11	0	3	0
ABERDEEN, .	16.2	2.7	48	20	15	0	0	0	0	0	1	7	0	12	0	6	1
PAISLEY, . .	15.7	2.6	24	5	10	0	0	0	0	0	1	3	0	4	1	3	1
LEITH, . . .	9.4	2.0	14	6	1	0	0	0	0	0	0	3	0	4	1	1	0
GREENOCK, .	9.1	4.6	12	5	1	0	1	1	0	0	0	4	0	1	0	2	0
PERTH, . . .	12.6	0.0	8	4	3	0	0	0	0	0	0	0	0	2	0	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 6, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.0	3.4	595	164	106	1	10	7	5	18	13	53	4	94	18	137	27
GLASGOW, .	19.7	4.0	285	89	39	1	6	5	2	7	*11	26	0	47	10	66	11
EDINBURGH,	17.3	2.4	103	20	30	0	3	0	3	2	0	6	4	15	1	28	10
DUNDEE, . .	21.4	3.9	66	18	10	0	0	0	0	0	2	10	0	11	1	18	1
ABERDEEN, .	20.3	2.1	59	19	17	0	1	1	0	0	0	4	0	14	2	14	1
PAISLEY, . .	15.3	4.0	23	3	4	0	0	0	0	0	0	1	0	2	1	8	0
LEITH, . . .	16.3	0.7	24	6	2	0	0	1	0	0	0	5	0	4	2	2	0
GREENOCK, .	20.7	7.7	27	8	2	0	0	0	0	9	0	1	0	1	1	0	0
PERTH, . . .	12.7	0.0	8	1	2	0	0	0	0	0	0	0	0	0	0	1	0

* One Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 12, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, October 12, 1901, was 513, being at the annual rate of 16·1 per thousand of the estimated population. This rate is 1·6 below that for the corresponding week of last year, but 1·6 above that for the previous week of the present year.

The lowest Mortality was recorded in Perth, viz., 6·3 per thousand; and the highest in Greenock, viz., 23·6 per thousand.

From the seven most familiar Zymotic Diseases 62 Deaths were registered, being at the rate of 1·9 per thousand, or 0·7 below that for last week. Of these Deaths, 32 were due to Diarrhœa (being 10 below the number for the preceding week), and 7 to Scarlet Fever, 4 of which occurred in Greenock.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, being 3 below the number for the previous week.

The Mean Temperature was 47°·1, being 6°·4 below that for the week immediately preceding, and 2°·4 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 12, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Oct. 12, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	1032	513	207	63·2	30·0	47·1	0·30
GLASGOW, . . .	12,681	764,423	60·281	9·63	526	243	97	63·2	35·5	50·1	0·55
EDINBURGH, . .	10,598	317,885	29·995	13·65	163	97	37	57·8	38·1	47·2	0·12
DUNDEE, . . .	4,162	161,346	38·766	12·01	81	55	20	56·2	33·5	45·3	0·13
ABERDEEN, . .	6,795	154,289	22·706	15·69	110	47	23	54·0	32·0	45·3	0·33
PAISLEY, . . .	3,538	79,718	22·532	15·75	49	16	10	60·4	37·1	48·2	0·31
LEITH,	2,042	77,670	38·036	12·12	49	20	9	59·7	40·0	48·9	0·20
GREENOCK, . .	1,440	68,237	47·387	10·86	42	31	8	55·5	39·0	47·3	0·74
PERTH,	2,122	32,957	15·531	18·97	12	4	3	57·0	30·0	44·7	0·03
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	959	556	238	64·7	36·0	49·5	1·46

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 12, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.1	1.9	513	129	113	0	6	7	6	5	6	32	2	73	26	129	16	0
GLASGOW, .	16.5	2.1	243	52	42	0	5	2	2	0	4	18	0	41	14	63	7	0
EDINBURGH,	15.9	1.8	97	16	29	0	1	0	3	3	0	4	1	7	4	32	6	0
DUNDEE, . .	17.7	1.3	55	17	14	0	0	1	0	0	0	3	0	7	4	8	1	0
ABERDEEN, .	15.8	1.3	47	23	10	0	0	0	1	1	0	2	1	10	0	8	1	0
PAISLEY, . .	10.4	1.3	16	3	5	0	0	0	0	1	1	0	0	2	0	2	0	0
LEITH, . . .	13.4	2.0	20	10	6	0	0	0	0	0	0	3	0	3	1	6	0	0
GREENOCK, .	23.6	4.6	31	7	6	0	0	4	0	0	1	1	0	3	2	9	1	0
PERTH, . . .	6.3	1.6	4	1	1	0	0	0	0	0	0	1	0	0	1	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 13, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.7	2.4	556	151	119	2	4	7	7	13	5	36	0	104	31	107	22	6
GLASGOW, .	18.8	3.1	272	75	47	2	1	5	4	10	*5	17	0	56	11	53	16	6
EDINBURGH,	14.1	1.0	84	18	18	0	1	1	1	1	0	2	0	11	4	25	3	0
DUNDEE, . .	22.0	2.9	68	26	16	0	0	0	2	0	0	7	0	7	10	10	1	0
ABERDEEN, .	18.9	1.0	55	18	18	0	1	0	0	0	0	2	0	14	1	6	1	0
PAISLEY, . .	17.3	4.0	26	7	9	0	1	1	0	0	0	4	0	6	0	6	0	0
LEITH, . . .	14.9	2.0	22	4	5	0	0	0	0	0	0	3	0	3	4	2	1	0
GREENOCK, .	15.3	2.3	20	3	4	0	0	0	0	2	0	1	0	5	1	3	0	0
PERTH, . . .	14.3	0.0	9	0	2	0	0	0	0	0	0	0	0	2	0	2	0	0

* One Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 19, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, October 19, 1901, was 537, being at the annual rate of 16·9 deaths per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 11·8 per thousand; and the highest in Greenock, viz., 22·9 per thousand.

From the seven most familiar Zymotic Diseases 79 deaths were registered, being at the rate of 2·5 per thousand, or 0·6 above that for last week. Of these deaths, 30 were due to Diarrhœa (being 2 below the number for the previous week), and 15 to Measles, of which 14 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 96, being 23 above the number for the previous week.

The Mean Temperature was 46°·9, being 0·2 below that for the week immediately preceding, but 3°·0 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 19, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Oct. 19, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	908	537	258	59·0	28·5	46·9	1·04
GLASGOW, . . .	12,681	764,423	60·281	9·63	433	267	98	59·0	35·0	48·7	1·67
EDINBURGH, . .	10,598	317,885	29·995	13·65	164	96	42	55·9	37·8	47·2	0·30
DUNDEE, . . .	4,162	161,346	38·766	12·01	81	55	66	52·8	32·8	45·8	0·68
ABERDEEN, . .	6,795	154,289	22·706	15·69	92	35	24	55·0	31·0	47·9	1·06
PAISLEY, . . .	3,538	79,718	22·532	15·75	37	22	11	55·8	34·2	46·7	1·60
LEITH,	2,042	77,670	38·036	12·12	61	20	4	56·4	37·1	48·2	0·31
GREENOCK, . .	1,440	68,237	47·387	10·86	32	30	6	55·5	37·0	46·3	1·78
PERTH,	2,122	32,957	15·531	18·97	8	12	7	53·0	28·5	44·2	0·95
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	991	542	168	59·0	24·0	43·9	0·87

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 19, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 19, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.9	2.5	537	124	119	0	15	5	12	12	5	30	1	96	17	103	22	1
GLASGOW, .	18.2	2.9	267	61	46	0	14	2	7	8	1	11	0	51	10	50	8	1
EDINBURGH,	15.7	2.0	96	20	20	0	0	1	1	3	3	4	0	7	2	21	11	0
DUNDEE, . .	17.7	2.3	55	22	11	0	1	0	1	0	0	5	1	21	2	7	1	0
ABERDEEN, .	11.8	1.0	35	10	10	0	0	0	0	0	0	3	0	5	0	4	0	0
PAISLEY, . .	14.4	3.3	22	6	8	0	0	0	0	1	1	3	0	3	0	4	2	0
LEITH, . . .	13.4	2.0	20	2	5	0	0	0	1	0	0	2	0	3	1	5	0	0
GREENOCK, .	22.9	4.6	30	1	11	0	0	2	2	0	0	2	0	3	1	8	0	0
PERTH, . . .	18.9	0.0	12	2	8	0	0	0	0	0	0	0	0	3	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 20, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.3	2.1	542	155	98	2	2	5	8	14	6	30	1	116	24	115	18	1
GLASGOW, .	18.6	2.3	270	82	36	2	1	3	5	7	4	12	0	71	12	57	9	1
EDINBURGH,	14.6	1.5	87	19	20	0	0	1	2	1	0	5	0	9	1	28	6	0
DUNDEE, . .	19.1	2.6	59	20	10	0	0	0	0	0	0	8	0	14	4	10	0	0
ABERDEEN, .	22.0	2.4	64	18	20	0	0	1	1	1	0	4	1	13	4	11	1	0
PAISLEY, . .	13.9	1.3	21	7	6	0	0	0	0	1	0	1	0	2	0	0	1	0
LEITH, . . .	12.2	0.7	18	6	3	0	1	0	0	0	0	0	0	4	2	2	1	0
GREENOCK, .	10.7	3.8	14	1	1	0	0	0	0	4	1	0	0	2	1	4	0	0
PERTH, . . .	14.3	1.6	9	2	2	0	0	0	0	0	1	0	0	1	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43.

WEEK ENDING SATURDAY, OCTOBER 26, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, October 26, 1901, was 616, being at the annual rate of 19·3 per thousand of the estimated population. This rate is 0·1 below that for the corresponding week of last year, but 2·4 above that for the previous week of the present year.

The lowest death-rate was recorded in Paisley, viz., 13·7 per thousand; and the highest in Greenock, viz., 29·0 per thousand.

From the seven most familiar Zymotic Diseases 70 deaths were registered, being at the rate of 2·2 per thousand, or 0·3 below that for last week. Of these deaths, 27 were due to Diarrhoea (being 3 below the number for the previous week), 13 to Fever, and 12 to Measles, of which 11 and 10 respectively occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, being 37 above the number for the previous week.

The Mean Temperature was 43°·3, being 3°·6 below that for the week immediately preceding, and 2°·5 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 26, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Popula- tion estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Oct. 26, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	895	616	197	59·5	26·5	43·3	0·35
GLASGOW, . . .	12,681	764,423	60·281	9·63	411	294	106	59·5	33·5	45·4	0·52
EDINBURGH, . .	10,598	317,885	29·995	13·65	152	95	44	53·8	37·6	45·7	0·17
DUNDEE, . . .	4,162	161,346	38·766	12·01	85	64	7	51·4	31·3	41·3	0·25
ABERDEEN, . .	6,795	154,289	22·706	15·69	91	70	21	53·0	29·2	40·8	0·20
PAISLEY, . . .	3,538	79,718	22·532	15·75	46	21	5
LEITH, . . .	2,042	77,670	38·036	12·12	55	22	7	53·5	36·3	45·3	0·40
GREENOCK, . .	1,440	68,237	47·387	10·86	44	38	4	52·7	37·5	44·8	0·72
PERTH, . . .	2,122	32,957	15·531	18·97	11	12	3	52·0	26·5	40·0	0·19
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	919	607	214	61·5	30·0	45·8	0·43

Week ending Saturday, OCTOBER 26, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19·3	2·2	616	153	128	1	12	4	5	8	13	27	0	133	28	126	23	2		
GLASGOW, .	20·0	2·9	294	73	50	*1	10	1	1	6	11	12	0	64	12	62	12	2		
EDINBURGH,	15·5	1·5	95	20	25	0	0	1	3	2	0	3	0	14	7	24	5	0		
DUNDEE, . .	20·6	1·0	64	18	17	0	2	0	0	0	0	1	0	26	0	11	1	0		
ABERDEEN, .	23·6	3·4	70	21	18	0	0	1	1	0	1	7	0	16	0	14	0	0		
PAISLEY, . .	13·7	0·7	21	4	4	0	0	0	0	0	1	0	0	3	2	5	1	0		
LEITH, . . .	14·7	2·0	22	7	6	0	0	1	0	0	0	2	0	3	2	5	1	0		
GREENOCK, .	29·0	1·5	38	9	5	0	0	0	0	0	0	2	0	7	4	3	3	0		
PERTH, . . .	18·9	0·0	12	1	3	0	0	0	0	0	0	0	0	0	1	2	0	0		

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 27, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19·4	2·1	607	164	115	2	4	8	6	18	4	25	0	139	18	116	25	1		
GLASGOW, .	20·4	2·7	296	93	41	2	1	6	1	12	3	14	0	73	8	64	16	0		
EDINBURGH,	16·0	1·2	95	10	31	0	2	1	2	0	1	1	0	15	3	25	4	0		
DUNDEE, . .	24·0	2·6	74	23	11	0	0	0	1	3	0	4	0	21	2	10	1	0		
ABERDEEN, .	20·3	2·1	59	15	13	0	1	0	0	0	0	5	0	14	1	9	1	0		
PAISLEY, . .	21·9	2·7	33	8	10	0	0	1	2	1	0	0	0	7	1	5	2	0		
LEITH, . . .	14·9	0·0	22	8	3	0	0	0	0	0	0	0	0	5	2	3	1	1		
GREENOCK, .	13·8	2·3	18	4	4	0	0	0	0	2	0	1	0	1	1	0	0	0		
PERTH, . . .	15·9	0·0	10	3	2	0	0	0	0	0	0	0	0	3	0	0	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 2, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, November 2, 1901, was 634, giving an annual rate of mortality of 19·9 per thousand of the estimated population. This rate is 0·5 above that for the corresponding week of last year, and 0·6 above that for the previous week of the present year.

The lowest death-rate was recorded in Paisley, viz., 14·4 per thousand; and the highest in Dundee, viz., 22·2 per thousand.

From the principal Zymotic Diseases 79 deaths were registered, being at the rate of 2·4 per thousand, or 0·2 above that for last week. Of these deaths, 32 were due to Diarrhoea; 14 to Measles, of which 13 occurred in Glasgow; and 14 to Fever, under which heading is tabulated one death from Plague in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 131, being 2 less than the number for the previous week.

The Mean Temperature was 48°·2, being 4°·9 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 2, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Nov. 2, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	916	634	262	67·2	31·8	48·2	0·62
GLASGOW, . . .	12,681	764,423	60·281	9·63	449	316	147	67·2	37·5	49·4	0·42
EDINBURGH, . .	10,598	317,885	29·995	13·65	143	102	45	62·7	36·4	48·5	0·58
DUNDEE, . . .	4,162	161,346	38·766	12·01	93	69	14	58·8	37·2	48·0	0·78
ABERDEEN, . .	6,795	154,289	22·706	15·69	85	61	16	61·5	39·8	49·1	0·36
PAISLEY, . . .	3,538	79,718	22·532	15·75	44	22	17	59·6	31·8	47·2	0·49
LEITH,	2,042	77,670	38·036	12·12	50	33	9	60·9	38·9	49·5	0·59
GREENOCK, . .	1,440	68,237	47·387	10·86	34	19	9	60·0	37·2	46·6	1·09
PERTH,	2,122	32,957	15·531	18·97	18	12	5	61·0	32·0	47·2	0·68
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	857	607	256	63·0	28·0	46·3	0·94

Week ending Saturday, NOVEMBER 2, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.9	2.4	634	158	148	0	14	5	9	5	*14	32	2	131	22	145	27	3
GLASGOW, .	21.5	3.2	316	80	57	0	13	4	4	2	*10	15	2	75	11	74	12	1
EDINBURGH,	16.7	1.3	102	19	35	0	0	0	3	1	2	2	0	11	5	33	5	1
DUNDEE, . .	22.2	1.9	69	23	13	0	1	0	0	0	0	5	0	20	2	13	3	0
ABERDEEN, .	20.6	1.7	61	18	19	0	0	0	0	1	0	4	0	16	2	10	2	1
PAISLEY, . .	14.4	3.3	22	3	8	0	0	0	0	1	2	2	0	4	0	5	2	0
LEITH, . . .	22.1	2.0	33	7	5	0	0	0	1	0	0	2	0	4	1	5	1	0
GREENOCK, .	14.5	2.3	19	4	9	0	0	1	0	0	0	2	0	0	1	2	2	0
PERTH, . . .	18.9	1.6	12	4	2	0	0	0	1	0	0	0	0	1	0	3	0	0

* One Plague.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 3, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.4	2.5	607	163	117	0	8	8	7	18	12	24	6	142	18	119	34	1
GLASGOW, .	22.2	3.1	321	96	47	0	1	5	2	15	8	14	4	94	13	62	18	1
EDINBURGH,	14.8	1.3	88	16	24	0	2	0	3	0	0	3	0	9	3	24	11	0
DUNDEE, . .	22.0	1.9	68	17	17	0	0	0	1	0	1	4	0	15	0	9	0	0
ABERDEEN, .	16.2	3.4	47	13	8	0	5	1	0	1	1	2	1	6	0	8	1	0
PAISLEY, . .	24.6	2.7	37	7	9	0	0	2	1	0	0	1	0	4	1	6	2	0
LEITH, . . .	11.5	0.7	17	4	6	0	0	0	0	1	0	0	1	5	1	5	2	0
GREENOCK, .	15.3	2.3	20	7	3	0	0	0	0	1	2	0	0	5	0	3	0	0
PERTH, . . .	14.3	0.0	9	3	3	0	0	0	0	0	0	0	0	4	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45.

WEEK ENDING SATURDAY, NOVEMBER 9, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, November 9, 1901, was 692, being at the annual rate of 21·7 per thousand of the estimated population. This rate is 2·8 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Greenock, viz., 13·7 per thousand; and the highest in Glasgow and Dundee, viz., 24·2 per thousand.

From the seven most familiar Zymotic Diseases 90 deaths were registered, being at the rate of 2·8 per thousand, or 0·4 above that for last week. Of these deaths, 24 were due to Measles, of which 19 occurred in Glasgow and 4 in Dundee; 23 to Diarrhoea; and 16 each to Hooping-Cough and Fever.

From Bronchitis, Pneumonia, and Pleurisy 160 deaths were recorded, being 29 more than the number for the previous week.

The Mean Temperature was 44°·9, being 3°·3 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 9, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Nov. 9, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	874	692	235	54·8	27·0	44·9	0·76
GLASGOW, . . .	12,681	764,423	60·281	9·63	426	356	141	54·8	32·5	45·9	0·17
EDINBURGH, . .	10,598	317,885	29·995	13·65	138	118	38	54·3	35·8	46·1	0·86
DUNDEE, . . .	4,162	161,346	38·766	12·01	93	75	10	53·8	29·5	43·9	0·95
ABERDEEN, . .	6,795	154,289	22·706	15·69	92	55	14	53·6	29·0	44·3	0·71
PAISLEY, . . .	3,538	79,718	22·532	15·75	34	28	7
LEITH,	2,042	77,670	38·036	12·12	42	27	9	52·6	31·9	45·8	0·91
GREENOCK, . .	1,440	68,237	47·387	10·86	34	18	12	52·0	37·0	45·8	0·91
PERTH,	2,122	32,957	15·531	18·97	15	15	4	54·5	27·0	42·8	0·81
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	825	594	242	55·8	35·0	45·7	2·11

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, November 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																	
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	21·7	2·8	692	165	139	0	24	5	6	16	16	23	2	160	25	176	24	4		
GLASGOW, .	24·2	4·1	356	93	53	0	19	2	5	12	12	10	1	89	11	89	17	4		
EDINBURGH,	19·3	1·0	118	21	28	0	0	1	1	1	1	2	0	16	10	40	4	0		
DUNDEE, . .	24·2	3·9	75	17	19	0	4	0	0	2	0	6	0	21	3	19	0	0		
ABERDEEN, .	18·5	1·7	55	16	16	0	0	1	0	0	1	3	0	12	0	13	1	0		
PAISLEY, . .	18·3	2·0	28	8	6	0	1	0	0	0	2	0	0	8	0	5	2	0		
LEITH, . . .	18·1	1·3	27	6	9	0	0	0	0	1	0	1	1	7	0	5	0	0		
GREENOCK, .	13·7	1·5	18	2	3	0	0	1	0	0	0	1	0	2	1	2	0	0		
PERTH, . . .	23·7	0·0	15	2	5	0	0	0	0	0	0	0	0	5	0	3	0	0		

Week ending Saturday, November 10, 1900.

[illegible]

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 16, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, November 16, 1901, was 633, being at the annual rate of 19·9 per thousand of the estimated population. This rate is 0·3 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The lowest death-rate was recorded in Perth, viz., 12·6 per thousand; and the highest in Greenock, viz., 25·9 per thousand.

From the seven principal Zymotic Diseases 73 deaths were registered, being at the rate of 2·3 per thousand, or 0·5 below that for last week. Of these deaths, 22 were due to Diarrhoea and 18 to Measles, all of the latter occurring in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 188, being 28 above the number for the previous week.

The Mean Temperature was 38°·6, being 6°·3 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 16, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Nov. 16, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	824	633	195	57·9	17·0	38·6	0·70
GLASGOW, . . .	12,681	764,423	60·281	9·63	408	318	107	57·9	19·5	39·5	1·07
EDINBURGH, . .	10,598	317,885	29·995	13·65	114	98	33	51·4	25·1	38·4	1·80
DUNDEE, . . .	4,162	161,346	38·766	12·01	81	61	7	51·8	25·0	37·9	0·30
ABERDEEN, . .	6,795	154,289	22·706	15·69	84	58	22	52·0	21·6	37·6	0·52
PAISLEY, . . .	3,538	79,718	22·532	15·75	44	31	7	54·1	20·0	39·3	0·29
LEITH,	2,042	77,670	38·036	12·12	44	25	10	52·1	27·9	40·1	0·90
GREENOCK, . .	1,440	68,237	47·387	10·86	35	34	5	51·5	26·5	40·4	0·37
PERTH,	2,122	32,957	15·531	18·97	14	8	4	54·0	17·0	35·3	0·32
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	872	614	186	53·0	26·5	41·3	1·27

Week ending Saturday, NOVEMBER 16, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.9	2.3	633	126	170	*1	18	8	9	3	12	22	2	188	12	129	26
GLASGOW, .	21.6	3.5	318	61	74	0	18	5	5	3	8	13	2	91	8	66	11
EDINBURGH,	16.0	1.0	98	9	39	0	0	1	3	0	1	1	0	24	2	30	6
DUNDEE, . .	19.7	1.6	61	17	13	0	0	0	1	0	0	4	0	20	0	9	2
ABERDEEN, .	19.5	1.0	58	18	20	0	0	0	0	0	0	3	0	23	0	7	1
PAISLEY, . .	20.2	1.3	31	5	11	0	0	0	0	0	2	0	0	7	0	3	4
LEITH, . . .	16.7	0.7	25	5	5	*1	0	0	0	0	0	0	0	10	0	7	0
GREENOCK, .	25.9	3.0	34	10	7	0	0	2	0	0	1	1	0	11	2	4	2
PERTH, . . .	12.6	0.0	8	1	1	0	0	0	0	0	0	0	0	2	0	3	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 17, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.6	2.4	614	134	123	2	13	4	11	22	7	16	3	160	21	135	21
GLASGOW, .	21.0	2.8	304	74	53	2	1	2	5	17	6	7	0	92	7	63	9
EDINBURGH,	20.0	2.5	119	23	28	0	8	0	3	1	1	2	2	31	6	38	8
DUNDEE, . .	15.5	1.9	48	7	13	0	0	0	0	2	0	4	0	11	5	11	0
ABERDEEN, .	19.3	2.4	56	16	8	0	4	0	0	0	0	3	0	7	2	8	0
PAISLEY, . .	18.6	2.0	28	4	7	0	0	2	1	0	0	0	0	5	1	6	3
LEITH, . . .	17.6	0.0	26	5	5	0	0	0	0	0	0	0	0	7	0	2	0
GREENOCK, .	16.9	1.5	22	4	6	0	0	0	0	2	0	0	1	5	0	1	1
PERTH, . . .	17.5	3.2	11	1	3	0	0	0	2	0	0	0	0	2	0	6	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 23, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, November 23, 1901, was 680, being at the annual rate of 21·3 per thousand of the estimated population. This rate is 1·3 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The rate of mortality was highest in Perth, viz., 25·2 per thousand; and lowest in Paisley, viz., 13·7 per thousand.

From the seven principal Zymotic Diseases 86 deaths were registered, being at the rate of 2·7 per thousand, or 0·4 above that for last week. Of these deaths, 30 were due to Diarrhoea and 29 to Measles, 24 of the latter occurring in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 174, being 14 below the number for the previous week.

The Mean Temperature was 40°·8, being 2°·2 above that for the week immediately preceding, and 3°·2 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 23, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Aeres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Nov. 23, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	883	680	174	56·8	18·0	40·8	1·50
GLASGOW, . . .	12,681	764,423	60·281	9·63	418	327	83	55·2	21·9	41·9	1·74
EDINBURGH, . .	10,598	317,885	29·995	13·65	154	114	42	52·5	27·4	40·8	0·81
DUNDEE, . . .	4,162	161,346	38·766	12·01	91	75	10	54·8	24·0	39·2	0·57
ABERDEEN, . .	6,795	154,289	22·706	15·69	91	67	18	56·8	25·5	39·3	0·92
PAISLEY, . . .	3,538	79,718	22·532	15·75	30	21	7	53·2	24·8	41·8	2·30
LEITH,	2,042	77,670	38·036	12·12	46	32	4	54·5	30·7	43·1	0·73
GREENOCK, . .	1,440	68,237	47·387	10·86	37	28	7	54·0	28·0	42·3	4·06
PERTH,	2,122	32,957	15·531	18·97	16	16	3	56·0	18·0	38·3	0·83
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	877	628	193	48·0	22·0	37·6	0·68

Week ending Saturday, NOVEMBER 23, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·3	2·7	680	167	171	1	29	6	6	6	8	30	3	174	24	130	25
GLASGOW, .	22·2	3·6	327	67	65	*1	24	4	0	5	5	14	1	90	11	51	14
EDINBURGH,	18·6	1·1	114	26	38	0	1	1	2	0	1	2	0	26	2	31	6
DUNDEE, . .	24·2	3·5	75	24	22	0	4	0	1	1	0	5	1	15	5	16	0
ABERDEEN, .	22·6	2·0	67	22	21	0	0	0	1	0	1	4	0	19	0	13	0
PAISLEY, . .	13·7	2·6	21	7	2	0	0	1	1	0	0	2	0	2	1	5	2
LEITH, . . .	21·4	2·7	32	11	8	0	0	0	1	0	0	3	0	8	1	5	1
GREENOCK, .	21·3	0·8	28	7	9	0	0	0	0	0	1	0	1	11	2	2	1
PERTH, . . .	25·2	0·0	16	3	6	0	0	0	0	0	0	0	0	3	2	7	1

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 24, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·0	2·2	628	163	126	1	8	5	4	25	6	20	3	153	34	133	24
GLASGOW, .	21·3	2·5	308	89	50	1	1	5	2	17	3	7	2	86	14	55	12
EDINBURGH,	16·5	1·0	98	18	26	0	2	0	1	0	0	3	0	18	6	30	6
DUNDEE, . .	19·1	1·6	59	19	14	0	0	0	0	1	0	4	0	18	4	12	1
ABERDEEN, .	22·0	4·1	64	18	17	0	5	0	1	1	2	3	1	7	3	13	1
PAISLEY, . .	25·2	2·0	38	6	7	0	0	0	0	1	1	1	0	10	2	7	3
LEITH, . . .	12·2	0·0	18	5	4	0	0	0	0	0	0	0	0	3	1	5	0
GREENOCK, .	22·3	4·6	29	6	2	0	0	0	0	5	0	1	0	8	3	7	1
PERTH, . . .	22·3	1·6	14	2	6	0	0	0	0	0	0	1	0	3	1	4	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48.

WEEK ENDING SATURDAY, NOVEMBER 30, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, November 30, 1901, was 706, being at the annual rate of 22·2 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and 0·9 above that for the previous week of the present year.

The lowest rate of mortality occurred in Greenock, viz., 17·5 per thousand; and the highest in Paisley, viz., 28·0 per thousand.

From the seven principal Zymotic Diseases 77 deaths were registered, being at the rate of 2·4 per thousand, or 0·3 below that for last week. Measles was the most fatal of these diseases, having caused 29 deaths, of which 23 occurred in Glasgow. Twenty-one deaths were due to Diarrhoea.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 183, being an increase of 9 compared with the number for the previous week.

The Mean Temperature was 41°·4, being 0°·6 above that for the week immediately preceding, but 0°·7 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 30, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Nov. 30, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	856	706	243	54·0	17·0	41·4	0·04
GLASGOW, . . .	12,681	764,423	60·281	9·63	425	355	123	52·0	20·8	42·2	0·00
EDINBURGH, . .	10,598	317,885	29·995	13·65	131	123	52	50·2	31·4	42·5	0·00
DUNDEE, . . .	4,162	161,346	38·766	12·01	88	56	17	51·9	21·2	39·0	0·02
ABERDEEN, . .	6,795	154,289	22·706	15·69	78	61	22	54·0	19·5	40·1	0·04
PAISLEY, . . .	3,538	79,718	22·532	15·75	39	43	4	53·0	25·1	43·8	0·04
LEITH,	2,042	77,670	38·036	12·12	54	32	8	51·0	28·6	43·6	0·00
GREENOCK, . .	1,440	68,237	47·387	10·86	30	23	11	50·0	28·0	42·4	0·24
PERTH,	2,122	32,957	15·531	18·97	11	13	6	53·0	17·0	37·7	0·00
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	844	672	242	48·1	27·0	42·1	1·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, NOVEMBER 30, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 30, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.
In Eight Towns,	22.2	2.4	706	155	150	0	29	3	8	7	9	21	3	183	38	152	26
GLASGOW, .	24.1	3.7	355	69	65	0	23	2	5	7	6	11	1	93	17	75	14
EDINBURGH,	20.1	0.5	123	29	23	0	1	1	0	0	0	1	2	33	9	38	8
DUNDEE, . .	18.0	2.6	56	15	15	0	4	0	0	0	1	3	0	16	1	12	0
ABERDEEN, .	20.6	2.0	61	18	19	0	1	0	1	0	0	4	0	14	4	9	0
PAISLEY, . .	28.0	2.0	43	4	18	0	0	0	1	0	2	0	0	9	4	11	4
LEITH, . . .	21.4	1.3	32	12	5	0	0	0	1	0	0	1	0	10	0	3	0
GREENOCK, .	17.5	0.8	23	4	5	0	0	0	0	0	0	1	0	5	3	2	0
PERTH, . . .	20.5	0.0	13	4	0	0	0	0	0	0	0	0	0	3	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 1, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.
In Eight Towns,	21.4	2.8	672	178	140	1	12	5	6	42	4	19	3	157	27	122	35
GLASGOW, .	20.8	3.4	302	79	59	1	1	4	2	33	2	6	1	79	14	52	18
EDINBURGH,	20.2	1.8	120	26	34	0	4	0	1	2	0	4	0	26	8	30	11
DUNDEE, . .	26.2	2.9	81	27	12	0	0	1	1	1	0	6	0	17	1	16	0
ABERDEEN, .	23.0	3.8	67	19	10	0	7	0	2	0	0	2	1	8	1	10	0
PAISLEY, . .	25.2	2.7	38	7	11	0	0	0	0	1	2	1	0	11	0	6	2
LEITH, . . .	17.6	0.0	26	9	11	0	0	0	0	0	0	0	0	7	2	3	2
GREENOCK, .	23.8	3.8	31	8	3	0	0	0	0	5	0	0	1	8	1	1	0
PERTH, . . .	11.1	0.0	7	3	0	0	0	0	0	0	0	0	0	1	0	4	2

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 7, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, December 7, 1901, was 653, being at the annual rate of 20·5 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, but 1·7 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 14·2 per thousand; and the highest in Leith, viz., 24·8 per thousand.

From the seven most familiar Zymotic Diseases 72 deaths were registered, being at the rate of 2·3 per thousand, or 0·1 below that for last week. Of these deaths 23 were due to Measles, of which 20 occurred in Glasgow, and 21 to Diarrhœa.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 179, being 4 below the number for the previous week.

The Mean Temperature was 45°·0, being 3°·6 above that for the week immediately preceding, and 3°·7 above that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 7, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Dec. 7, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	830	653	347	58·0	28·0	45·0	0·84
GLASGOW, . . .	12,681	764,423	60·281	9·63	388	318	175	53·8	38·2	46·3	0·68
EDINBURGH, . .	10,598	317,885	29·995	13·65	144	121	63	53·5	38·2	45·5	0·33
DUNDEE, . . .	4,162	161,346	38·766	12·01	86	54	18	52·8	31·2	43·5	0·07
ABERDEEN, . .	6,795	154,289	22·706	15·69	99	70	40	54·0	29·5	42·6	0·12
PAISLEY, . . .	3,538	79,718	22·532	15·75	35	22	11	52·0	39·3	46·0	2·11
LEITH,	2,042	77,670	38·036	12·12	39	37	15	54·6	38·8	46·6	0·16
GREENOCK, . .	1,440	68,237	47·387	10·86	28	22	11	52·5	38·2	45·5	3·11
PERTH,	2,122	32,957	15·531	18·97	11	9	14	58·0	28·0	44·0	0·11
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	721	641	318	57·9	27·5	41·3	2·25

Week ending Saturday, DECEMBER 7, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
						From All Causes.	From Seven Zymotic Diseases.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.			
In Eight Towns,	20.5	2.3	653	155	155	0	23	9	5	4	10	21	1	179	18	138	27	5	
GLASGOW, .	21.6	3.2	318	76	62	0	20	4	4	4	7	8	0	90	6	68	11	4	
EDINBURGH,	19.8	1.3	121	26	35	0	0	2	1	0	1	4	0	21	6	30	9	0	
DUNDEE, . .	17.4	2.3	54	14	14	0	2	0	0	0	0	5	1	17	2	8	1	0	
ABERDEEN, .	23.6	0.7	70	20	23	0	0	0	0	0	0	2	0	23	1	9	1	0	
PAISLEY, . .	14.4	1.3	22	2	3	0	0	0	0	0	2	0	0	7	0	6	2	0	
LEITH, . . .	24.8	1.3	37	11	12	0	0	0	0	0	0	2	0	14	2	7	3	0	
GREENOCK, .	16.8	3.0	22	5	3	0	1	3	0	0	0	0	0	5	1	6	0	0	
PERTH, . . .	14.2	0.0	9	1	3	0	0	0	0	0	0	0	0	2	0	4	0	1	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 8, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.4	2.8	641	130	145	1	15	9	9	31	4	18	0	151	34	135	25	1
GLASGOW, .	20.9	2.8	303	58	58	1	2	5	5	18	4	6	0	80	20	74	13	1
EDINBURGH,	22.5	3.2	134	22	35	0	9	3	2	2	0	3	0	17	4	38	10	0
DUNDEE, . .	18.1	1.6	56	10	16	0	0	0	0	2	0	3	0	13	5	3	0	0
ABERDEEN, .	18.9	3.8	55	10	12	0	4	0	2	2	0	3	0	12	2	10	0	0
PAISLEY, . .	20.6	2.7	31	6	9	0	0	1	0	2	0	1	0	13	0	6	1	0
LEITH, . . .	17.6	1.4	26	9	6	0	0	0	0	0	0	2	0	8	3	0	0	0
GREENOCK, .	17.7	3.8	23	14	4	0	0	0	0	5	0	0	0	7	0	0	1	0
PERTH, . . .	20.7	0.0	13	1	5	0	0	0	0	0	0	0	0	1	0	4	0	0

WEEKLY RETURN

57

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50.

WEEK ENDING SATURDAY, DECEMBER 14, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, December 14, 1901, was 660, being at the annual rate of 20·7 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, and 0·2 above that for the previous week of the present year.

The lowest death-rate was recorded in Paisley, viz., 15·0 per thousand; and the highest in Dundee, viz., 24·8 per thousand.

From the seven principal Zymotic Diseases 70 deaths were registered, being at the rate of 2·2 per thousand, or 0·1 below that for last week. Measles was the most fatal of these diseases, having caused 28 Deaths, of which 19 occurred in Glasgow, and 6 in Dundee. Fifteen Deaths were due to Diarrhoea and 11 to Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 163, being 16 below the number for the previous week.

The Mean Temperature was 34°·8, being 10°·2 below that for the week immediately preceding, and 12°·8 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 14, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Dec. 14, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	831	660	285	47·9	19·0	34·8	0·77
GLASGOW, . . .	12,681	764,423	60·281	9·63	394	317	116	47·9	19·5	36·0	0·92
EDINBURGH, . .	10,598	317,885	29·995	13·65	126	125	69	46·2	28·4	34·9	0·89
DUNDEE, . . .	4,162	161,346	38·766	12·01	74	77	23	43·6	27·2	33·5	0·57
ABERDEEN, . .	6,795	154,289	22·706	15·69	85	55	36	41·6	28·0	33·9	0·28
PAISLEY, . . .	3,538	79,718	22·532	15·75	48	23	8	46·5	24·9	35·9	0·91
LEITH,	2,042	77,670	38·036	12·12	45	24	13	46·4	28·8	36·2	1·21
GREENOCK, . .	1,440	68,237	47·387	10·86	44	28	13	47·0	27·0	36·2	0·85
PERTH,	2,122	32,957	15·531	18·97	15	11	7	45·0	19·0	31·8	0·50
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	874	596	281	59·0	33·5	47·6	1·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 14, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·7	2·2	660	152	158	0	28	4	3	9	11	15	2	163	29	135	22	3
GLASGOW, .	21·6	2·7	317	77	60	0	19	0	1	7	7	6	0	86	18	61	10	3
EDINBURGH,	20·4	1·6	125	26	36	0	1	3	1	1	2	2	0	29	1	33	6	0
DUNDEE, . .	24·8	3·5	77	17	22	0	6	0	0	0	0	5	2	25	3	11	0	0
ABERDEEN, .	18·5	0·0	55	10	22	0	0	0	0	0	0	0	0	9	2	13	2	0
PAISLEY, . .	15·0	3·3	23	4	3	0	2	0	0	1	2	0	0	5	1	6	2	0
LEITH, . . .	16·1	0·0	24	7	9	0	0	0	0	0	0	0	0	2	0	5	0	0
GREENOCK, .	21·3	0·8	28	8	4	0	0	1	0	0	0	0	0	4	4	3	2	0
PERTH, . . .	17·4	4·7	11	3	2	0	0	0	1	0	0	2	0	3	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 15, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19·0	2·6	596	127	145	4	16	8	3	33	6	10	3	133	20	117	17	4		
GLASGOW, .	19·5	3·2	282	58	56	3	4	4	1	27	4	4	1	56	8	59	9	3		
EDINBURGH,	17·6	1·0	105	24	30	0	3	2	0	1	0	0	1	23	4	26	6	0		
DUNDEE, . .	20·1	0·6	62	15	16	0	0	0	1	0	0	1	0	18	3	12	0	0		
ABERDEEN, .	18·2	4·8	53	10	18	0	9	1	0	0	1	3	0	10	2	9	2	1		
PAISLEY, . .	19·3	3·3	29	7	9	*1	0	1	0	1	1	1	1	8	0	3	0	0		
LEITH, . . .	16·9	0·7	25	5	4	0	0	0	0	1	0	0	0	4	0	2	0	0		
GREENOCK, .	17·7	3·1	23	7	5	0	0	0	0	3	0	1	0	9	3	3	0	0		
PERTH, . . .	27·1	1·6	17	1	7	0	0	0	1	0	0	0	0	5	0	3	0	0		

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 21, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, December 21, 1901, was 684, being at the annual rate of 21·5 per thousand of estimated population. This rate is 3·5 above that for the corresponding week of last year, and 0·8 above that for the previous week of the present year.

The rate of mortality was lowest in Leith, viz., 13·4 per thousand; and highest in Perth, viz., 31·5 per thousand.

From the seven principal Zymotic Diseases 69 deaths were registered, being at the rate of 2·2 per thousand—the same as that recorded for the preceding week. Measles was again the most fatal of these diseases, having caused 30 Deaths, of which 22 occurred in Glasgow, and 7 in Dundee. Seventeen Deaths were due to Diarrhoea and 10 to Hooping-Cough.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 188, being 25 above the number for the previous week.

The Mean Temperature was 33°·8, being 1°·0 below that for the week immediately preceding, and 10°·8 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 21, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Dec. 21, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	893	684	256	44·2	18·0	33·8	0·54
GLASGOW, . . .	12,681	764,423	60·281	9·63	397	329	111	44·2	24·8	33·9	0·25
EDINBURGH, . .	10,598	317,885	29·995	13·65	165	116	55	40·0	23·5	32·8	0·35
DUNDEE, . . .	4,162	161,346	38·766	12·01	81	86	18	40·1	26·4	33·2	0·62
ABERDEEN, . .	6,795	154,289	22·706	15·69	94	64	34	41·2	22·5	33·0	1·44
PAISLEY, . . .	3,538	79,718	22·532	15·75	58	26	11	43·4	25·1	34·0	0·33
LEITH,	2,042	77,670	38·036	12·12	47	20	20	42·1	27·0	34·4	0·48
GREENOCK, . .	1,440	68,237	47·387	10·86	37	23	5	44·0	28·0	35·8	0·45
PERTH,	2,122	32,957	15·531	18·97	14	20	2	42·0	18·0	33·5	0·44
Corresponding Week of 1900. — Eight Towns.	41,584	1,630,328	39·206	11·94	909	563	281	57·3	32·0	44·6	1·04

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 21, 1901.

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 21, 1901.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.5	2.2	684	140	186	0	30	2	3	10	7	17	0	188	30	142	28	9
GLASGOW, .	22.4	3.1	329	69	59	0	22	2	1	7	6	7	0	93	20	79	17	8
EDINBURGH,	19.0	0.2	116	24	45	0	0	0	0	1	0	0	0	29	2	28	6	1
DUNDEE, . .	27.7	4.8	86	17	31	0	7	0	2	1	0	5	0	22	3	8	0	0
ABERDEEN, .	21.6	1.0	64	15	25	0	0	0	0	1	0	2	0	22	1	9	4	0
PAISLEY, . .	17.0	1.3	26	7	9	0	0	0	0	0	1	1	0	9	0	7	1	0
LEITH, . . .	13.4	0.0	20	2	4	0	0	0	0	0	0	0	0	6	1	2	0	0
GREENOCK, .	17.5	2.3	23	4	7	0	1	0	0	0	0	2	0	3	1	1	0	0
PERTH, . . .	31.5	0.0	20	2	6	0	0	0	0	0	0	0	0	4	2	8	0	0

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, December 22, 1900.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 40 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	18.0	2.4	563	121	130	1	12	7	8	26	5	15	4	107	26	118	32	7		
GLASGOW, .	18.9	3.3	274	54	52	1	2	4	5	22	4	10	3	46	13	62	19	7		
EDINBURGH,	16.1	1.5	96	20	26	0	7	1	1	0	0	0	0	21	1	23	6	0		
DUNDEE, . .	17.2	1.0	53	15	12	0	0	0	0	0	0	3	1	11	4	7	0	0		
ABERDEEN, .	17.2	1.0	50	11	14	0	2	0	0	0	1	0	0	8	3	16	1	0		
PAISLEY, . .	20.6	3.3	31	8	10	0	0	1	0	2	0	2	0	6	0	4	3	0		
LEITH, . . .	11.5	2.0	17	2	3	0	1	0	2	0	0	0	0	1	1	0	1	0		
GREENOCK, .	19.2	2.3	25	9	5	0	0	1	0	2	0	0	0	12	2	2	1	0		
PERTH, . . .	27.1	0.0	17	2	8	0	0	0	0	0	0	0	0	2	2	4	1	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 28, 1901.

The number of Deaths registered in Eight Principal Towns during the week ending with Saturday, December 28, 1901, was 720, being at the annual rate of 22·6 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year, and 1·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 14·1 per thousand; and the highest in Glasgow, viz., 24·8 per thousand.

From the seven principal Zymotic Diseases 86 deaths were registered, being at the rate of 2·7 per thousand, or 0·5 above that for last week. Measles was the most fatal of these diseases, having caused 36 Deaths (an increase of 6 over the number for the preceding week), of which 22 occurred in Glasgow, 10 in Dundee, and 4 in Greenock.

From Bronchitis, Pneumonia, and Pleurisy 162 deaths were recorded, or 26 less than the number for the previous week.

The Mean Temperature was 34°·5, being 0°·7 above that for the week immediately preceding, but 8°·7 below that for the corresponding week of 1900.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 28, 1901, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1901.	Persons to an Acre. 1901.	Prox- imity in Yards.	Registered during the Week ending Dec. 28, 1901.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	43,378	1,656,525	38·188	12·10	820	720	466	42·5	20·0	34·5	1·11
GLASGOW, . . .	12,681	764,423	60·281	9·63	384	365	190	42·5	22·1	35·3	0·50
EDINBURGH, . .	10,598	317,885	29·995	13·65	144	134	108	39·2	27·4	34·0	0·64
DUNDEE, . . .	4,162	161,346	38·766	12·01	76	75	45	38·8	25·7	33·4	1·27
ABERDEEN, . .	6,795	154,289	22·706	15·69	86	61	60	42·0	25·0	35·9	1·88
PAISLEY, . . .	3,538	79,718	22·532	15·75	43	28	21	42·2	25·7	34·9	1·14
LEITH,	2,042	77,670	38·036	12·12	32	21	15	40·5	29·9	35·1	0·72
GREENOCK, . .	1,440	68,237	47·387	10·86	39	25	15	41·0	28·0	35·2	1·47
PERTH,	2,122	32,957	15·531	18·97	16	11	12	39·0	20·0	32·5	1·30
Corresponding Week of 1900.—Eight Towns.	41,584	1,630,328	39·206	11·94	856	638	532	56·3	28·0	43·2	0·85

Week ending Saturday, DECEMBER 28, 1901.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22.6	2.7	720	135	181	0	36	7	8	7	5	23	4	162	34	154	27
GLASGOW, .	24.8	3.5	365	68	80	0	22	4	1	6	3	15	2	96	19	71	13
EDINBURGH,	21.9	0.8	134	24	38	0	0	1	1	0	1	2	0	30	6	46	3
DUNDEE, . .	24.2	5.5	75	20	14	0	10	0	3	0	0	4	2	11	3	15	0
ABERDEEN, .	20.6	2.0	61	9	25	0	0	0	3	1	0	2	0	10	1	4	4
PAISLEY, . .	18.3	0.7	28	5	8	0	0	0	0	0	1	0	0	6	1	9	3
LEITH, . . .	14.1	0.0	21	5	5	0	0	0	0	0	0	0	0	5	2	4	2
GREENOCK, .	19.0	4.6	25	3	7	0	4	2	0	0	0	0	0	2	2	3	2
PERTH, . . .	17.4	0.0	11	1	4	0	0	0	0	0	0	0	0	2	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 29, 1900.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.3	2.8	638	142	145	3	12	5	9	33	7	18	2	119	20	139	38
GLASGOW, .	21.0	3.4	304	60	56	3	1	2	3	28	6	6	1	61	12	66	21
EDINBURGH,	17.1	0.8	102	23	22	0	2	0	2	0	0	1	1	14	5	28	12
DUNDEE, . .	22.3	2.6	69	13	19	0	0	0	1	2	0	5	0	19	0	18	0
ABERDEEN, .	21.7	5.8	63	23	16	0	9	1	2	1	0	4	0	7	2	9	1
PAISLEY, . .	22.6	1.3	34	4	12	0	0	2	0	0	0	0	0	8	0	7	1
LEITH, . . .	21.0	0.7	31	9	10	0	0	0	1	0	0	0	0	4	1	9	2
GREENOCK, .	23.0	3.1	30	9	8	0	0	0	0	2	1	1	0	5	0	2	1
PERTH, . . .	8.0	1.6	5	1	2	0	0	0	0	0	0	1	0	1	0	0	0